



# TAPARIA TOOLS LTD.


AN ISO-9001 COMPANY



## ADJUSTABLE SPANNERS




- ★ Forged with high grade Steel, and heat treated to give long trouble free service.
- ★ Left hand thumb screw movement as standard. Right hand thumb screw movement available on request.
- ★ Precision marked scale indicate correct jaw opening.
- ★ Available in Bright polished Nickel Chrome finish and Black Phosphate finish.
- ★ Also available with soft grip to provide comfortable gripping in use.



| PROD. NO | A   | B  | C    | D     | L   | WT. GMS      |           |
|----------|-----|----|------|-------|-----|--------------|-----------|
|          |     |    |      |       |     | WITHOUT GRIP | WITH GRIP |
| 1169     | 33  | 13 | 4    | 8.20  | 110 | 50           | 55        |
| 1170     | 46  | 19 | 6    | 11.20 | 155 | 125          | 145       |
| 1171     | 59  | 26 | 7    | 13.65 | 205 | 230          | 260       |
| 1172     | 70  | 30 | 9    | 16.55 | 255 | 390          | 430       |
| 1173     | 79  | 35 | 10   | 18.40 | 305 | 590          | 635       |
| 1174     | 97  | 43 | 12.5 | 21.00 | 380 | 960          | 1025      |
| 1175     | 120 | 57 | 14.0 | 25.00 | 450 | 1880         | -         |
| 1176     | 138 | 64 | 15.0 | 28.00 | 608 | 2980         | -         |
| 1177     | 180 | 90 | 19.0 | 34.0  | 780 | 5920         | -         |


BLISTER PACKING



DISPLAY PACKING



HANGING CARD



## TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 61478600  
Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : <http://www.tapariatools.com>  
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740

An ISO-9001 Company



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## ALLEN KEYS




- ☛ Made from high grade alloy steel.
- ☛ Accurately hardened and tempered to withstand higher torque and enable high wear resistance.
- ☛ Available in brown & black finish.
- ☛ Offered in loose as well as in sets.
- ☛ One of the widest range of Allen Keys in India.

## ALLEN KEYS BROWN FINISH

- ☛ Made from expensive high-grade alloy steel.
- ☛ Accurately hardened and tempered to 58-62 HRC to withstand higher torque and enable high wear resistance.
- ☛ Taparia Brown Finish Allen Keys look aesthetically rich.
- ☛ Taparia Metric series Allen Keys are made as per IS 3082 & Din 911 standard and Inch series Allen Keys are made as per BS 2470 standard
- ☛ Offered in loose as well as in Sets.

### Allen Keys Brown Finish (mm. Series)

| PROD. NO. | L 1 | L 2 | WT. GMS. |
|-----------|-----|-----|----------|
| AK-1.5    | 45  | 14  | 1        |
| AK-2      | 50  | 16  | 2        |
| AK-2.5    | 56  | 18  | 3        |
| AK-3      | 63  | 20  | 5        |
| AK-4      | 70  | 25  | 12       |
| AK-5      | 80  | 28  | 20       |
| AK-6      | 90  | 32  | 30       |
| AK-8      | 100 | 36  | 60       |
| AK-10     | 112 | 40  | 105      |



### Allen Keys Brown Finish (Inch Series)

| PROD. NO. | L 1 | L 2 | WT. GMS. |
|-----------|-----|-----|----------|
| AK-1/16   | 44  | 14  | 1        |
| AK-5/64   | 48  | 15  | 2        |
| AK-3/32   | 51  | 17  | 3        |
| AK-1/8    | 57  | 19  | 5        |
| AK-5/32   | 64  | 21  | 9        |
| AK-3/16   | 70  | 24  | 14       |
| AK-7/32   | 75  | 26  | 23       |
| AK-1/4    | 83  | 28  | 28       |
| AK-5/16   | 95  | 32  | 57       |
| AK-3/8    | 108 | 35  | 92       |

### Allen Keys Set Brown Finish (Inch Series)

| PROD. NO. | SIZE                                                                            |
|-----------|---------------------------------------------------------------------------------|
| AKI - 10  | 10 Pcs. Set {1/16", 5/64", 3/32" 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"} |

### Allen Keys Set Brown Finish (mm. Series)


| PROD. NO. | SIZE                                                                 |
|-----------|----------------------------------------------------------------------|
| AKM - 9   | 9 Pcs. Set {1.5mm, 2mm., 2.5mm., 3mm., 4mm., 5mm., 6mm., 8mm., 10mm} |

## ALLEN KEYS BLACK FINISH

- ☛ Taparia Black finish Allen Keys are made from CrV Steel
- ☛ They are accurately hardened and tempered to 52-56 HRC to withstand high torque and have high wear resistance.
- ☛ Taparia Metric series Allen Keys are made as per IS 3082 & Din 911 standard and Inch series Allen Keys are made as per BS 2470 standard
- ☛ Taparia Allen Keys are offered in loose as well as in Sets.

### Allen Keys Black Finish (mm. Series)

| PROD. NO. | SIZE    | L1  | L2  |
|-----------|---------|-----|-----|
| K1.5V     | 1.5 mm. | 44  | 14  |
| K2V       | 2 mm.   | 48  | 15  |
| K2.5V     | 2.5 mm. | 51  | 17  |
| K3V       | 3 mm.   | 57  | 19  |
| K4V       | 4 mm.   | 64  | 21  |
| K5V       | 5 mm.   | 71  | 24  |
| K6V       | 6 mm.   | 84  | 28  |
| K8V       | 8 mm.   | 96  | 32  |
| K10V      | 10 mm.  | 108 | 35  |
| AK-12     | 12 mm   | 125 | 45  |
| AK-14     | 14 mm   | 140 | 56  |
| AK-17     | 17 mm   | 160 | 63  |
| AK-19     | 19 mm   | 180 | 70  |
| AK-22     | 22 mm   | 200 | 80  |
| AK-24     | 24 mm   | 224 | 90  |
| AK-27     | 27 mm   | 250 | 100 |
| AK-30     | 30 mm   | 280 | 112 |
| AK-32     | 32 mm   | 315 | 125 |
| AK-36     | 36 mm   | 355 | 140 |



### Allen Keys Black Finish (Inch Series)

| PROD. NO. | L 1 | L 2 | WT. GMS. |
|-----------|-----|-----|----------|
| K1/16     | 44  | 14  | 1        |
| K5/64     | 48  | 15  | 2        |
| K3/32     | 51  | 17  | 3        |
| K1/8      | 57  | 19  | 5        |
| K5/32     | 64  | 21  | 9        |
| K3/16     | 70  | 24  | 14       |
| K7/32     | 75  | 26  | 23       |
| K1/4      | 83  | 28  | 28       |
| K5/16     | 95  | 32  | 57       |
| K3/8      | 108 | 35  | 92       |
| AK-1/2    | 125 | 45  | 185      |
| AK-9/16   | 140 | 56  | 275      |
| AK-5/8    | 160 | 63  | 385      |
| AK-3/4    | 180 | 70  | 625      |
| AK-7/8    | 200 | 80  | 960      |
| AK-1      | 235 | 90  | 1575     |

### Allen Key Set Black Finish (mm. Series)

| PROD. NO.        | SIZE                                                                 |
|------------------|----------------------------------------------------------------------|
| KM - 9 V         | 9 Pcs. Set (1.5mm, 2mm., 2.5mm., 3mm., 4mm., 5mm., 6mm., 8mm., 10mm) |
| (Box packing)    |                                                                      |
| KHM - 9 V        |                                                                      |
| (Hanger packing) |                                                                      |


### Allen Key Set Black Finish (Inch. Series)

| PROD. NO.        | SIZE                                          |
|------------------|-----------------------------------------------|
| KI - 10 V        | 10 Pcs. Set (1/16", 5/64", 3/32"              |
| (Box packing)    |                                               |
| KHI - 10 V       | 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8" |
| (Hanger packing) |                                               |



### Allen Keys Long Ball Point (mm. Series)

| PROD. NO. | SIZE    | L1  | L2 | WT. GMS. |
|-----------|---------|-----|----|----------|
| KB 1.5 L  | 1.5 mm. | 77  | 13 | 2        |
| KB 2 L    | 2 mm.   | 82  | 15 | 3        |
| KB 2.5 L  | 2.5 mm. | 88  | 17 | 5        |
| KB 3 L    | 3 mm.   | 98  | 19 | 7        |
| KB 4 L    | 4 mm.   | 104 | 24 | 15       |
| KB 5 L    | 5 mm.   | 116 | 27 | 25       |
| KB 6 L    | 6 mm.   | 138 | 31 | 40       |
| KB 8 L    | 8 mm.   | 157 | 35 | 80       |
| KB 10 L   | 10 mm.  | 167 | 39 | 140      |



### Allen Keys Long Ball Point (Inch Series)

| PROD. NO. | SIZE | L1  | L2 | WT. GMS. |
|-----------|------|-----|----|----------|
| KB 1/16 L | 1/16 | 77  | 13 | 2        |
| KB 5/64 L | 5/64 | 82  | 15 | 3        |
| KB 3/32 L | 3/32 | 88  | 17 | 5        |
| KB 1/8 L  | 1/8  | 98  | 19 | 7        |
| KB 5/32 L | 5/32 | 104 | 24 | 14       |
| KB 3/16 L | 3/16 | 116 | 27 | 23       |
| KB 7/32 L | 7/32 |     |    | 36       |
| KB 1/4 L  | 1/4  | 138 | 31 | 46       |
| KB 5/16 L | 5/16 | 157 | 35 | 78       |
| KB 3/8 L  | 3/8  | 167 | 39 | 134      |

### Allen Keys Extra Long Ball Point (mm. Series)

| PROD. NO. | SIZE     | L1  | L2 | WT. GMS. |
|-----------|----------|-----|----|----------|
| KB1.5X    | 1.5 mm.  | 90  | 14 | 2        |
| KB2X      | 2.0 mm.  | 100 | 16 | 4        |
| KB2.5X    | 2.5 mm.  | 112 | 18 | 6        |
| KB3X      | 3.0 mm.  | 128 | 20 | 10       |
| KB4X      | 4.0 mm.  | 140 | 25 | 15       |
| KB5X      | 5.0 mm.  | 160 | 28 | 30       |
| KB6X      | 6.0 mm.  | 180 | 32 | 45       |
| KB8X      | 8.0 mm.  | 200 | 36 | 100      |
| KB10X     | 10.0 mm. | 224 | 40 | 175      |



### Allen Keys Extra Long Ball Point (Inch Series)

| PROD. NO. | SIZE | L1  | L2 | WT. GMS. |
|-----------|------|-----|----|----------|
| KB1/16X   | 1/16 | 90  | 4  | 2        |
| KB5/64X   | 5/64 | 100 | 6  | 4        |
| KB3/32X   | 3/32 | 112 | 8  | 6        |
| KB1/8X    | 1/8  | 128 | 20 | 10       |
| KB5/32X   | 5/32 | 140 | 25 | 15       |
| KB3/16X   | 3/16 | 160 | 28 | 25       |
| KB7/32X   | 7/32 | 170 | 30 | 40       |
| KB1/4X    | 1/4  | 180 | 32 | 55       |
| KB5/16X   | 5/16 | 200 | 36 | 100      |
| KB3/8X    | 3/8  | 224 | 40 | 160      |

### Long Ball Point Keys Set (mm. Series)

| PROD. NO. | 9 Pcs. Hanger Packing Set                                 |
|-----------|-----------------------------------------------------------|
|           | SIZE                                                      |
| KBHM 9 L  | (1.5mm, 2mm., 2.5mm., 3mm., 4mm., 5mm., 6mm., 8mm., 10mm) |

### Extra Long Ball Point Keys Set (mm Series)

| PROD. NO. | 9 Pcs. Hanger Packing Set                                 |
|-----------|-----------------------------------------------------------|
|           | SIZE                                                      |
| KBHM 9 X  | (1.5mm, 2mm., 2.5mm., 3mm., 4mm., 5mm., 6mm., 8mm., 10mm) |



### Long Ball Point Keys Set (Inch. Series)

| PROD. NO. | 10 Pcs. Hanger Packing Set                                          |
|-----------|---------------------------------------------------------------------|
|           | SIZE                                                                |
| KBHI 10 L | (1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8" |

### Extra Long Ball Point Keys Set (Inch Series)

| PROD. NO. | 10 Pcs. Hanger Packing Set                                          |
|-----------|---------------------------------------------------------------------|
|           | SIZE                                                                |
| KBHI 10 X | (1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8" |

## TORX KEYS

- Taparia Torx Keys are made from high grade alloy steel.
- They are accurately hardened and tempered to 55-60 HRC to withstand high torque and have high wear resistance.
- Taparia offers a wide range of Torx keys from T-5 to T-50 sizes
- Taparia Torx Keys are offered in loose and in sets.


### TORX KEYS (Short Series)

| PROD. NO. | SIZE | ØF  | L1 | L2 | WT. GMS |
|-----------|------|-----|----|----|---------|
| KT 5 S    | T 5  | 3.0 | 42 | 16 | 3       |
| KT 6 S    | T 6  | 3.0 | 42 | 16 | 3       |
| KT 7 S    | T 7  | 3.0 | 48 | 16 | 4       |
| KT 8 S    | T 8  | 3.0 | 48 | 16 | 4       |
| KT 9 S    | T 9  | 3.0 | 48 | 16 | 4       |
| KT 10 S   | T 10 | 3.0 | 51 | 18 | 4       |
| KT 15 S   | T 15 | 3.5 | 54 | 18 | 5       |
| KT 20 S   | T 20 | 4.0 | 57 | 20 | 8       |
| KT 25 S   | T 25 | 4.5 | 60 | 21 | 10      |
| KT 27 S   | T 27 | 5.0 | 64 | 22 | 13      |
| KT 30 S   | T 30 | 6.0 | 70 | 25 | 20      |
| KT 40 S   | T 40 | 7.0 | 76 | 27 | 30      |
| KT 45 S   | T 45 | 8.0 | 82 | 29 | 35      |
| KT 50 S   | T 50 | 9.0 | 95 | 33 | 60      |



### TORX KEYS SETS (Short Series)

| PROD. NO. | SIZE                                       |
|-----------|--------------------------------------------|
| KTH 7 S   | T10, T15, T20, T25, T27, T30, T40          |
| KTH 8 S   | T5, T6, T7, T8, T9, T10, T15, T20          |
| KTH 9 S   | T10, T15, T20, T25, T27, T30, T40 T45, T50 |



### FOLDING KEY SETS (BELISTER PKG.)



| PROD. NO. | SIZE                                                                |
|-----------|---------------------------------------------------------------------|
| KFM 8     | Hex Allen Keys (1.5mm., 2mm., 2.5mm., 3mm., 4mm., 5mm., 6mm., 8mm.) |
| KFI 9     | Hex Allen Keys (5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4) |
| KFT 8     | Torx Keys (T9, T10, T15, T20, T25, T27, T30, T40)                   |



# TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
**Fax :** 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 448 **Fax :** 0253-2350740



**An ISO-9001 Company**

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## CANTILEVER TOOL BOXES

### CANTILEVER TOOL BOXES


- ★ For storing different types of tools, accessories etc.
- ★ Made from high gauge steel sheet for higher strength and long life.
- ★ Two steel handles for balanced and comfortable carrying.
- ★ Assembled with stainless steel rivets for extra strength and rust prevention.
- ★ Superior Powder coated for rust protection.
- ★ Provision for locking.
- ★ Boxes are available in 3 and 5 compartments.



5 Compartments




3 Compartments




| PRODUCT NO. | Dimensions in mm |     |     | Weight Carrying Capacity |
|-------------|------------------|-----|-----|--------------------------|
|             | H                | W   | L   |                          |
| CTB 1805    | 205              | 200 | 450 | 15 kgs. Max.             |
| CTB 1803    | 155              | 200 | 450 | 10 kgs. Max.             |

## BOX SPANNERS



## L TYPE SPANNERS



## TUBULAR BOX SPANNERS



## TUBULAR SPANNERS SET



| PROD. NO | FIG.NO | ØA | ØB | ØC | ØD   | A/F(1) | A/F(2) | L   | WT. KGS. |
|----------|--------|----|----|----|------|--------|--------|-----|----------|
| HD 1720  | 2      | 49 | 45 | 25 | 21.4 | 30     | 32     | 400 | 2.00     |
| HD 1725  | 3      | 42 | 42 | 25 | 21.4 | 27     | 30     | 400 | 1.92     |
| 1728     | 1      | 42 | 38 | 23 | 21.4 | 24     | 27     | 400 | 1.53     |
| HD 1730  | 2      | 49 | 42 | 25 | 21.4 | 27     | 33     | 400 | 1.90     |
| 1731     | 1      | 42 | 42 | 23 | 21.4 | 27     | 27     | 400 | 1.44     |
| HD 3030  | 3      | 45 | 45 | 25 | 21.4 | 30     | 30     | 400 | 2.00     |
| 1740     | 1      | 50 | 50 | 23 | 21.4 | 32     | 32     | 400 | 1.80     |
| CHD 1740 | 1      | 49 | 49 | 25 | 21.4 | 32     | 32     | 400 | 1.88     |
| HD 3233  | 1      | 49 | 49 | 25 | 21.4 | 32     | 33     | 400 | 1.93     |
| 1741     | 1      | 50 | 50 | 23 | 21.4 | 33     | 33     | 400 | 1.58     |
| HD 1741  | 1      | 49 | 46 | 25 | 21.4 | 33     | 33     | 400 | 1.94     |

| PROD. NO | ØD | ØD | L   | L   |    | WT. GMS |
|----------|----|----|-----|-----|----|---------|
| T1535    | 28 | 16 | 250 | 115 | 18 | 600     |
| 1536 S   | 30 | 16 | 250 | 115 | 19 | 610     |
| 1536     | 30 | 16 | 300 | 140 | 19 | 715     |
| 1537     | 32 | 16 | 310 | 140 | 21 | 755     |

Generally conforming to IS 2030-1989

| PRODUCT NO. AND SIZE | S1   | S2   | ØD   | L   | WEIGHT GRAMS. |
|----------------------|------|------|------|-----|---------------|
| TS 6 X 7             | 6.0  | 7.0  | 9.2  | 115 | 35            |
| TS 8 X 9             | 8.0  | 9.0  | 12.8 | 120 | 45            |
| TS 10 X 11           | 10.0 | 11.0 | 12.8 | 125 | 65            |
| TS 12 X 13           | 12.0 | 13.0 | 15.7 | 135 | 95            |
| TS 14 X 15           | 14.0 | 15.0 | 15.7 | 140 | 120           |
| TS 16 X 17           | 16.0 | 17.0 | 19.0 | 150 | 145           |
| TS 18 X 19           | 18.0 | 19.0 | 22.0 | 160 | 160           |
| TS 18 X 19           | 18.0 | 19.0 | 22.0 | 160 | 160           |
| TS 20 X 22           | 20.0 | 22.0 | 25.0 | 170 | 225           |
| TS 21 X 23           | 21.0 | 23.0 | 25.0 | 175 | 235           |
| TS 24 X 27           | 24.0 | 27.0 | 28.5 | 185 | 285           |
| TS 25 X 28           | 25.0 | 28.0 | 31.0 | 190 | 335           |
| TS 30 X 32           | 30.0 | 32.0 | 35.0 | 205 | 480           |

(8 pcs.) with Tommy Bar :

| Prod. No.             | Contents                                                                                                                                     |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| TS 08<br>(8 Pcs Set)  | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22<br>Tommy Bar :<br>1) Dia 12 x 250 mm.<br>2) Special Tommy Bar                             |
| TS 12<br>(12 Pcs Set) | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32<br>Tommy Bar :<br>1) Dia 12 x 250 mm.<br>2) Special Tommy Bar |

# TAPARIA TOOLS LTD.

Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 6147 8600  
 Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : http://www.tapariatools.com  
 Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 CIN : L99999MH1965PLC013392



AN ISO-9001 - 2015 COMPANY

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

## AN ISO-9001 COMPANY




### CHISELS




- Made from high grade Steel, forged and ground.
- Differential heat treatment for cutting edge, and striking end, ensures long life.
- Bright Blue Painted finish.

#### OCTAGONAL CHISEL




| PROD. NO | A   | B  | C    | D   | E      | WT. GMS |
|----------|-----|----|------|-----|--------|---------|
| 101      | 135 | 9  | 1.50 | 40  | 9 A/F  | 58      |
| 102      | 150 | 16 | 3.25 | 70  | 12 A/F | 134     |
| 104      | 200 | 22 | 3.75 | 90  | 15 A/F | 272     |
| 105      | 200 | 25 | 4.00 | 100 | 19 A/F | 365     |
| 106      | 250 | 30 | 4.50 | 120 | 22 A/F | 710     |
| 107      | 300 | 32 | 4.75 | 130 | 22 A/F | 904     |

#### PNEUMATIC CHISEL




| PROD. NO | A   | B  | C   | Ø D   | E  | F    | G, A/F | H, A/F | WT. GMS |
|----------|-----|----|-----|-------|----|------|--------|--------|---------|
| 1306     | 150 | 22 | 3.0 | 17.25 | 65 | 46.5 | 14.8   | 19     | 254     |
| 1307     | 175 | 22 | 3.0 | 17.25 | 65 | 46.5 | 14.8   | 19     | 302     |
| 1308     | 200 | 22 | 3.0 | 17.25 | 65 | 46.5 | 14.8   | 19     | 320     |
| 1309     | 225 | 22 | 3.0 | 17.25 | 65 | 46.5 | 14.8   | 19     | 430     |

#### FLAT CHISEL



| PROD. NO | A   | B  | C   | D  | E  | E     | WT. GMS |
|----------|-----|----|-----|----|----|-------|---------|
| 1046     | 150 | 20 | 3.0 | 57 | 17 | 10.00 | 171     |
| 1048     | 200 | 25 | 3.5 | 83 | 20 | 10.00 | 258     |
| 1059     | 235 | 24 | 2.5 | 90 | 24 | 6.35  | 268     |

#### FLAT OCTAGONAL CHISEL (RUBBER GRIP)



| PROD. NO | A   | B  | C   | D   | E  | F    | WT. GMS |
|----------|-----|----|-----|-----|----|------|---------|
| 106 R    | 250 | 30 | 4.5 | 120 | 22 | -    | 820     |
| 1059 R   | 235 | 24 | 2.5 | 90  | 24 | 6.35 | 350     |






# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## C-CLAMP


- ★ Body Hot drop forged from high grade steel.
- ★ All parts fully heat treated and Black Phosphated for long trouble free service.
- ★ Ideal for heavy duty application.



| PROD. NO | A   | B   | C   | D  | WT. GMS |
|----------|-----|-----|-----|----|---------|
| 1259 - 2 | 200 | 55  | 49  | 22 | 360     |
| 1260 - 3 | 260 | 80  | 62  | 22 | 570     |
| 1261 - 4 | 330 | 105 | 75  | 25 | 1060    |
| 1263 - 6 | 440 | 155 | 93  | 25 | 1700    |
| 1264 - 8 | 565 | 205 | 106 | 32 | 2840    |

## F CLAMPS

- ★ Forged from superior grade steel, high quality, durable, clamping tool, which retains its dimensions and resists distortion even at high clamping force.
- ★ Available in Light Duty and Heavy duty variety.
- ★ Light Duty is good for carpentry and Heavy duty I good for holding steels and in fabrication.
- ★ Fixed bracket and pressure plate are produced from a single piece which gives maximum strength.
- ★ Swivelling type pressure plate can be fitted on uneven, angled or sloping surfaces.
- ★ Sturdy Tommy bar has special rounded ends which gives comfortable gripping.



### Light Duty F Clamp

| Product No. | A   | B   | C   | D    | E    | Weight Grams |
|-------------|-----|-----|-----|------|------|--------------|
| FC15200     | 270 | 200 | 80  | 15.5 | 7.5  | 540          |
| FC15250     | 320 | 250 | 80  | 15.5 | 7.5  | 580          |
| FC22300     | 390 | 300 | 120 | 22   | 10.6 | 1360         |
| FC22400     | 490 | 400 | 120 | 22   | 10.6 | 1530         |
| FC22500     | 590 | 500 | 120 | 22   | 10.6 | 1700         |
| FC22600     | 690 | 600 | 120 | 22   | 10.6 | 1900         |



### Heavy Duty F Clamp

| Product No. | A   | B   | C   | D    | E    | Weight Grams |
|-------------|-----|-----|-----|------|------|--------------|
| FC29250     | 380 | 250 | 120 | 29.7 | 14.3 | 2700         |
| FC29300     | 430 | 300 | 120 | 29.7 | 14.3 | 2880         |
| FC29400     | 530 | 400 | 120 | 29.7 | 14.3 | 3180         |
| FC29500     | 630 | 500 | 120 | 29.7 | 14.3 | 3500         |
| FC29600     | 730 | 600 | 120 | 29.7 | 14.3 | 3800         |



## TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
 Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : http://www.tapariatools.com  
 Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740

An ISO-9001 Company



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## CUT-OFF WHEEL

### GOLD SERIES

COWG 04  
105X1.0X16mm



- 1.TAPARIA Cut off Wheels manufactured from high quality Aluminium Oxide.
2. Super thin Wheel for precise & fast cutting.
- 3.Double net for Safety.
- 4.Suitable for cutting metal & Stainless Steel.
5. TAPARIA Cut off wheels are value for money due to extra long cutting life.


| Product      | Net   | Diameter | Bore  | Thickness | Colours |
|--------------|-------|----------|-------|-----------|---------|
| COWG 04      | 2 net | 105m     | 16m   | 1.0m      | Black   |
| COWG 2 GR04  | 2 Net | 105m     | 16m   | 1.0m      | Green   |
| COWG 1 BL 14 | 1 Net | 355m     | 25.4m | 2.5m      | Black   |
| COWG 1 GR 14 | 1 Net | 355m     | 25.4m | 2.5m      | Green   |
| COWG 2 BL 14 | 2 Net | 355m     | 25.4m | 2.5m      | Black   |




## Plastic Runner Cutting Pliers

- TAPARIA Plastic Runner Cutting Pliers are specially designed to closely cut / separate the runner from the plastic moulded objects.


TAPARIA Plastic Runner Cutting Pliers



Regular Side Cutting Pliers edge cross section



- These pliers can also be used to cut small plastic parts, remove the extra flash from moulded objects, etc..
- Precise matching of the cutting edges to prevent the cutting edges from damaging each other during use.
- Drop forged with high quality steel.
- Induction hardened cutting edges to enable long cutting life.
- Attractive and comfortable two colour plastic dipped handle Sleeves.
- Fitted with a Coil Spring to reduce hand fatigue, and increase efficiency.



| PRODUCT NO. | A   | B  | C    | D    | WEIGHT GRAMS |
|-------------|-----|----|------|------|--------------|
| PCP - 06    | 157 | 20 | 18.6 | 10.5 | 150          |



## TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 6147 8600  
Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : <http://www.tapariatools.com>  
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740

An ISO-9001 Company



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO - 9001 COMPANY



## BOLT CUTTERS, SPARE BLADE, CABLE CUTTERS, TIN CUTTERS WITH SPRING AND AVIATION TINMAN SNIPPER



### BOLT CUTTER

- \* Made from high-grade steel.
- \* The jaws are forged and accurately machined.
- \* The Cutting jaws are specially heat-treated for easy & click cutting of cutting wires, round steel bars, hard drawn steel wires & stranded wires.
- \* The bolts and nuts used in the assembly of bolt cutter are hexagon type. Each bolt is firmly secured & cutting blades are suitably hardened & tempered and are ground to have sharp edge.
- \* Handles are provided with sleeves to hold & operate smoothly with minimum effort.
- \* Powder coating of handles provides good appearance as well as rust prevention.
- \* The jaws are replaceable.
- \* Available in various sizes.

### CABLE CUTTER


- \* Drop forged from high quality carbon steel.
- \* Scientifically heat treated to give tough body.
- \* The cutting edges are sharp and precision machined to appropriate angle to cut cables with ease.
- \* PVC dip coated sleeve provides cushioning.

### TIN CUTTER

- \* Drop forged from high quality carbon steel.
- \* Scientifically heat treated to give tough body.
- \* The cutting edges are induction hardened.
- \* The cutting edges are sharp and precision machined to appropriate angle to cut sheets with ease.
- \* Provided with fixed stopper, which protects fingers from getting injured due to excessive closing of shanks.

### BOLT CUTTERS

| PROD. NO. & SIZE | A    | CUTTING CAPACITY DIAMETER MAX. | WEIGHT GRAMS |
|------------------|------|--------------------------------|--------------|
| BC - 8           | 200  | 4                              | 275          |
| BC - 12          | 300  | 5                              | 800          |
| BC - 14          | 350  | 6                              | 980          |
| BC - 18          | 450  | 7                              | 1520         |
| BC - 24          | 600  | 9                              | 2430         |
| BC - 30          | 750  | 12                             | 3980         |
| BC - 36          | 900  | 15                             | 5580         |
| BC - 42          | 1050 | 18                             | 8140         |
| BC - 48          | 1200 | 22                             | 8500         |




### SPARE BLADES SET FOR BOLT CUTTERS

| PRODUCT NO. | WEIGHT GRAMS |
|-------------|--------------|
| BCB - 12    | 218          |
| BCB - 14    | 295          |
| BCB - 18    | 480          |
| BCB - 24    | 785          |
| BCB - 30    | 1265         |
| BCB - 36    | 1860         |
| BCB - 42    | 2675         |
| BCB - 48    | 2705         |




### CABLE CUTTERS

| PRODUCT NO. | A   | B  | C  | D  | MAX. CUT. CAP. (OD WITH PVC SLEEVE IN MM) | WEIGHT GRAMS |
|-------------|-----|----|----|----|-------------------------------------------|--------------|
| CC 06       | 160 | 20 | 26 | 10 | 9 mm                                      | 150          |
| CC 08       | 210 | 22 | 29 | 13 | 10 mm                                     | 250          |
| CC 10       | 240 | 30 | 34 | 15 | 15 mm                                     | 350          |
| CCS 10      | 240 | 35 | 47 | 15 | 15 mm                                     | 470          |
| CC 18       | 460 | 32 | 58 | 16 | 24 mm                                     | 1675         |
| CC 24       | 600 | 35 | 64 | 17 | 27 mm                                     | 1790         |
| CC 32       | 800 | 55 | 72 | 20 | 40 mm                                     | 4300         |





### TIN CUTTERS WITH SPRING

| PRODUCT NO. | A   | B  | C  | D  | CUTTING CAPACITY TIN THICKNESS MAX. | WEIGHT GRAMS |
|-------------|-----|----|----|----|-------------------------------------|--------------|
| TCS 08      | 200 | 50 | 28 | 12 | 0.5 mm                              | 250          |
| TCS 10      | 250 | 60 | 32 | 14 | 0.75 mm                             | 450          |
| TCS 12      | 300 | 70 | 36 | 16 | 1.0 mm                              | 650          |
| TCS 14      | 350 | 85 | 42 | 18 | 1.25 mm                             | 1000         |



### AVIATION TINMAN SNIPPERS

| PRODUCT NO.            | A   | B  | WEIGHT GRAMS |
|------------------------|-----|----|--------------|
| ATS 10 - Straight Nose | 255 | 44 | 380          |
| ATL 10 - Left Nose     | 250 | 44 | 350          |
| ATR 10 - Right Nose    | 250 | 44 | 360          |



## TAPARIA TOOLS LTD.



423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013 (MH). ☎ : (022) 6147 8646.  
E-mail : [htaparia@tapariatools.com](mailto:htaparia@tapariatools.com), [sales@tapariatools.com](mailto:sales@tapariatools.com) • Web Site : <http://www.tapariatools.com>  
**Works** : 52, M.I.D.C, Satpur, Nashik - 422 007 (MH), ☎ : (0253) 2350 317 / 18 / 418.  
E-mail : [nashik@tapariatools.com](mailto:nashik@tapariatools.com). C.I.N. No. : L99999MH1965PLC013392



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

**AN ISO-9001 COMPANY**



## DIAMOND BLADES

### SEGMENTED CUT (DBS-4)



- Recommended for Marble, Kota Stone, Brick and Sand Stone.
- Sharp, efficient and long cutting Life.
- Size 110mm.

### CONTINUOUS CUT (DBC-4)

- Recommended for Clean and Chip Free Moulding
- Smooth and sharp cutting.
- size 110mm.



### TURBO CUT (DBT-4)



- Recommended for Re-inforced Concrete, Tile and Granite.
- Smooth and sharp cutting.
- size 110mm.

## SNAP OFF CUTTER



- ABS plastic body for higher strength and soft material for comfort in use.
- Blade made from high grade steel for sharp and long cutting.
- Ergonomically shaped body with soft grip for comfort in use.
- Twist locking system for enhanced safety.

| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| SK-1     | 19             | 10 Pcs.   |

## UTILITY KNIFE



- TAPARIA Utility Knife body is made from Die Cast Zinc for higher strength.
- Blades made from high grade steel for sharp and long cutting.
- Two extra spare blades provided inside the body.
- Ergonomically shaped body for comfort in cutting.

| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| UK-3     | 19             | 6 Pcs.    |

### SPARE BLADE FOR (UK-3)

| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| UB-10    | 19             | 10 Pcs.   |

# TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. Tel : 6147 8600  
**Fax :** 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. Tel : 2350 317 / 318 / 418 • **Fax :** 0253-2350740



**An ISO-9001 Company**

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO - 9001 COMPANY



## HACKSAW BLADES



### Carbon Steel All Hard

| Product No. | Description                    | Std. Pkg. |
|-------------|--------------------------------|-----------|
| HBHC 1218   | Carbon Steel All Hard (18 TPI) | 100       |
| HBHC 1224   | Carbon Steel All Hard (24 TPI) | 100       |

### Bi - Metal

| Product No. | Description           | Std. Pkg. |
|-------------|-----------------------|-----------|
| HBB 1218    | HSS Bi-Metal (18 TPI) | 10        |
| HBB 1224    | HSS Bi-Metal (24 TPI) | 10        |

### HSS All Hard

| Product No. | Description           | Std. Pkg. |
|-------------|-----------------------|-----------|
| HSS 1218    | HSS All Hard (18 TPI) | 10        |
| HSS 1224    | HSS All Hard (24 TPI) | 10        |

### Carbon Steel (Double Side Cutting)

| Product No. | Description | Size            | Std. Pkg. |
|-------------|-------------|-----------------|-----------|
| HB CD 118   | 18 TPI      | 300 x 25 x 0.63 | 50        |
| HB CD 124   | 24 TPI      | 300 x 25 x 0.63 | 50        |

# TAPARIA TOOLS LTD.



423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013 (MH). ☎ : (022) 6147 8646.  
E-mail : [htaparia@tapariatools.com](mailto:htaparia@tapariatools.com), [sales@tapariatools.com](mailto:sales@tapariatools.com) • Web Site : <http://www.tapariatools.com>

**Works :** 52, M.I.D.C, Satpur, Nashik - 422 007 (MH), ☎ : (0253) 2350 317 / 18 / 418.

E-mail : [nashik@tapariatools.com](mailto:nashik@tapariatools.com). C.I.N. No. : L99999MH1965PLC013392



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO - 9001 COMPANY



## HAMMERS

- \* Available in Ball Pein, Cross Pein and Claw version.
- \* Head drop forged made from high grade steel.
- \* Head differentially heat treated to ensure safe use.






### HAMMER WITH HANDLE (BALL PEIN & CROSS PEIN)

| PROD. NO | A   | B   | ØC | ØD | WT. GMS |
|----------|-----|-----|----|----|---------|
| WH110B   | 260 | 64  | 18 | 20 | 170     |
| WH200B   | 300 | 80  | 20 | 25 | 325     |
| WH340B   | 315 | 90  | 26 | 28 | 425     |
| WH500B   | 330 | 105 | 25 | 30 | 710     |
| WH600B   | 375 | 110 | 30 | 35 | 815     |
| WH800B   | 375 | 120 | 32 | 40 | 1050    |

| PROD. NO | A   | B    | C  | ØD   | WT. GMS |
|----------|-----|------|----|------|---------|
| WH200C   | 310 | 86.5 | 18 | 25   | 330     |
| WH500C   | 330 | 105  | 25 | 31.5 | 800     |
| WH800C   | 375 | 120  | 32 | 40   | 1050    |


### CLAW HAMMER WITH HANDLE

| PROD. NO | A   | B   | ØC | WT. GMS |
|----------|-----|-----|----|---------|
| CH 340   | 310 | 120 | 28 | 510     |
| CLH 450  | 330 | 131 | 31 | 645     |




### ELECTRICIAN HAMMER WITH HANDLE

| PROD. NO | A   | B   | ØC | WT. GMS |
|----------|-----|-----|----|---------|
| SQ 15    | 280 | 140 | 15 | 250     |




### MACHINIST HAMMER WITH HANDLE

| PROD. NO | A   | B   | ØC | WT. GMS |
|----------|-----|-----|----|---------|
| MH 100   | 260 | 85  | 15 | 160     |
| MH 200   | 280 | 95  | 19 | 270     |
| MH 300   | 300 | 105 | 22 | 430     |
| MH 400   | 310 | 115 | 25 | 510     |
| MH 500   | 320 | 120 | 27 | 600     |





### CLUB HAMMER WITH HANDLE

| PROD. NO | A   | B   | C  | WT. GMS |
|----------|-----|-----|----|---------|
| GH 800   | 250 | 92  | 36 | 950     |
| GH 1000  | 260 | 96  | 38 | 1150    |
| GH 1250  | 260 | 102 | 42 | 1400    |
| GH 1500  | 260 | 110 | 44 | 1650    |




### SLEDGE HAMMER HEAD

| PROD. NO | B   | C  | WT. GMS |
|----------|-----|----|---------|
| SHH 900  | 105 | 36 | 900     |
| SHH 1350 | 120 | 42 | 1350    |
| SHH 1800 | 133 | 46 | 1800    |
| SHH 2700 | 155 | 54 | 2700    |
| SHH 3600 | 168 | 58 | 3600    |
| SHH 4500 | 174 | 64 | 4500    |
| SHH 5400 | 184 | 68 | 5400    |
| SHH 6300 | 195 | 72 | 6300    |
| SHH 7200 | 204 | 74 | 7200    |
| SHH 8100 | 208 | 78 | 8100    |
| SHH 9000 | 216 | 82 | 9000    |



### SLEDGE HAMMER WITH HICKORY WOOD HANDLE

| PROD. NO    | A   | B   | C  | WT. GMS |
|-------------|-----|-----|----|---------|
| SHHW - 1350 | 400 | 115 | 44 | 1500    |
| SHHW - 1800 | 770 | 130 | 48 | 2350    |
| SHHW - 3600 | 770 | 165 | 60 | 4100    |
| SHHW - 5400 | 770 | 190 | 68 | 6150    |
| SHHW - 6300 | 770 | 198 | 72 | 6750    |




### SOFT FACED HAMMER WITH HANDLE


- \* The Soft Mallet Hammers are available in 20mm, 25mm, 30mm, 40mm & 50mm sizes.

- \* TAPARIA will also offer spares for these Soft Mallet Hammers.

| Prod. No. | A   | B   | ØD | WT. GMS |
|-----------|-----|-----|----|---------|
| SFH 20    | 272 | 74  | 20 | 240     |
| SFH 25    | 272 | 90  | 25 | 320     |
| SFH 30    | 272 | 90  | 30 | 425     |
| SFH 40    | 330 | 122 | 40 | 800     |
| SFH 50    | 330 | 124 | 50 | 1120    |



### SOFT FACE HAMMER SPARES



| Prod. No. | B  | ØD | WT. GMS |
|-----------|----|----|---------|
| SFH 20 S  | 20 | 20 | 12      |
| SFH 25 S  | 26 | 25 | 25      |
| SFH 30 S  | 30 | 30 | 46      |
| SFH 40 S  | 38 | 40 | 90      |
| SFH 50 S  | 38 | 50 | 130     |



## TAPARIA TOOLS LTD.

423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013 (MH). ☎ : (022) 6147 8646.

E-mail : [htaparia@tapariatools.com](mailto:htaparia@tapariatools.com), [sales@tapariatools.com](mailto:sales@tapariatools.com) • Web Site : <http://www.tapariatools.com>

Works : 52, M.I.D.C, Satpur, Nashik - 422 007 (MH), ☎ : (0253) 2350 317 / 18 / 418.

E-mail : [nashik@tapariatools.com](mailto:nashik@tapariatools.com). C.I.N. No. : L99999MH1965PLC013392



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY




## MINI PLIERS



- ★ Made from high grade carbon steel.
- ★ Springs provided between legs.
- ★ Dip Coated sleeves.



### Flat Nose Mini Plier - 1401

| PROD. NO. | A   | B  | C  | D  | E   | F  | WT. GMS |
|-----------|-----|----|----|----|-----|----|---------|
| 1401      | 125 | 28 | -- | 12 | 6.5 | -- | 60      |




### Round Nose Mini Plier - 1402

| PROD. NO. | A   | B  | C  | D  | E   | F   | WT. GMS |
|-----------|-----|----|----|----|-----|-----|---------|
| 1402      | 125 | 28 | -- | 12 | 6.5 | 2.0 | 55      |




### Long Nose Mini Plier - 1403

| PROD. NO. | A   | B  | C | D  | E   | F   | WT. GMS |
|-----------|-----|----|---|----|-----|-----|---------|
| 1403      | 125 | 35 | 8 | 12 | 6.5 | 1.5 | 55      |




### Bent Nose Mini Plier - 1404

| PROD. NO. | A   | B  | C  | D  | E   | F  | WT. GMS |
|-----------|-----|----|----|----|-----|----|---------|
| 1404      | 125 | -- | -- | 12 | 6.5 | 13 | 60      |




### Side Cutting Mini Plier - 1405

| PROD. NO. | A   | B  | C  | D  | E   | F  | WT. GMS |
|-----------|-----|----|----|----|-----|----|---------|
| 1405      | 125 | 16 | -- | 12 | 6.5 | -- | 60      |




### End Cutting Mini Plier - 1406

| PROD. NO. | A   | B | C  | D  | E  | F  | WT. GMS |
|-----------|-----|---|----|----|----|----|---------|
| 1406      | 110 | 8 | -- | 18 | 13 | -- | 70      |




### Combination Mini Plier - 1407

| PROD. NO. | A   | B  | C  | D  | E   | F  | WT. GMS |
|-----------|-----|----|----|----|-----|----|---------|
| 1407      | 125 | 19 | -- | 17 | 9.5 | -- | 110     |




### Long Needle Nose Mini Plier - 1408

| PROD. NO. | A   | B  | C  | D    | E | F   | WT. GMS |
|-----------|-----|----|----|------|---|-----|---------|
| 1408      | 150 | 55 | -- | 11.5 | 6 | 2.5 | 60      |



### Long Needle Bend Nose Mini Plier - 1409

| PROD. NO. | A   | B  | C  | D  | E | F  | WT. GMS |
|-----------|-----|----|----|----|---|----|---------|
| 1409      | 145 | -- | -- | 12 | 6 | 12 | 60      |



## TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
 Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : http://www.tapariatools.com  
 Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740



An ISO-9001 Company

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®




# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY




## PIPE WRENCHES



| PROD. NO | D  | T  | L   | WT. GMS |
|----------|----|----|-----|---------|
| 1272     | 33 | 15 | 250 | 500     |
| 1273     | 42 | 19 | 300 | 750     |
| 1274     | 48 | 21 | 350 | 1000    |
| 1275     | 60 | 24 | 450 | 1540    |
| 1276     | 73 | 28 | 600 | 2920    |
| 1277     | 90 | 34 | 900 | 5880    |




## HEAVY DUTY UNIVERSAL PIPE WRENCHES



| PROD. NO | A  | B  | C   | D   | WT. GMS |
|----------|----|----|-----|-----|---------|
| 1510     | 38 | 17 | 275 | 310 | 690     |
| 2014     | 52 | 21 | 360 | 420 | 1244    |




## HEAVY DUTY PIPE WRENCHES



| PROD. NO | NOM. PIPE | T  | L   | WT. GMS |
|----------|-----------|----|-----|---------|
| HPW 08   | 35        | 15 | 200 | 400     |
| HPW 10   | 49        | 17 | 250 | 850     |
| HPW 12   | 60        | 23 | 300 | 1100    |
| HPW 14   | 60        | 23 | 350 | 1650    |



## ALUMINIUM PIPE WRENCH



| PROD. NO | NOM. PIPE | T  | L   | WT. GMS |
|----------|-----------|----|-----|---------|
| APW 10   | 49        | 17 | 250 | 600     |
| APW 14   | 60        | 23 | 350 | 1000    |
| APW 18   | 76        | 26 | 450 | 1500    |



## SPARES FOR HEAVY DUTY & ALUMINIUM PIPE WRENCH


| PROD. NO | NOM. PIPE ØD | T  | L   | WT. GMS |
|----------|--------------|----|-----|---------|
| HPW 12 S | 60           | 23 | 300 | 1100    |
| HPW 14 S | 60           | 23 | 350 | 1650    |
| HPW 18 S | 76           | 26 | 450 | 2400    |

| PROD. NO | NOM. PIPE ØD | T  | L    | WT. GMS |
|----------|--------------|----|------|---------|
| HPW 24 S | 90           | 33 | 600  | 4100    |
| HPW 36 S | 140          | 37 | 900  | 8800    |
| HPW 48 S | 166          | 37 | 1200 | 13800   |

## CHAIN PIPE WRENCHES

- Drop forged jaw from high grade steel
- Jaw teeth induction hardened for long life
- Jaw teeth provided on both sides for easy change of direction
- Accurately machined teeth provides firm and non-damaging grip.


| PROD. NO | NOMINAL PIPE SIZE MAX ØD | L    | L1  | E  | T  | WT. GMS |
|----------|--------------------------|------|-----|----|----|---------|
| CPW 04   | CPW 04                   | 900  | 165 | 80 | 12 | 8000    |
| CPW 06   | CPW 06                   | 1000 | 180 | 90 | 13 | 9500    |
| CPW 08   | CPW 08                   | 1200 | 190 | 90 | 14 | 11800   |
| CPW 10   | CPW 10                   | 1300 | 215 | 95 | 15 | 13500   |
| CPW 12   | CPW 12                   | 1400 | 215 | 95 | 15 | 14500   |
| CPW 16   | CPW 16                   | 1585 | 215 | 95 | 15 | 16500   |



## PIPE VICE

- Body made of malleable cast iron.
- Drop forged gripping jaws made from high grade steel.
- Heat treated and accurately machined jaw provides firm grip on pipes.


| PROD. NO | NOM. PIPE SIZE ØA | ØD | T   | L   | WT. GMS |
|----------|-------------------|----|-----|-----|---------|
| PV 00    | 10 - 40           | 16 | 95  | 60  | 1100    |
| PV 01    | 10 - 60           | 24 | 145 | 105 | 4250    |
| PV 02    | 10 - 90           | 24 | 190 | 105 | 5600    |
| PV 03    | 15 - 115          | 24 | 215 | 120 | 7800    |
| PV 04    | 15 - 165          | 30 | 260 | 160 | 10000   |



## C-CLAMPS

- Body Hot drop forged from high grade steel.
- All parts fully heat treated and Black Phosphated for long trouble free service.
- Ideal for heavy duty application.

| PROD. NO | A   | B   | C   | D  | WT. GMS |
|----------|-----|-----|-----|----|---------|
| 1259 - 2 | 200 | 55  | 49  | 22 | 360     |
| 1260 - 3 | 260 | 80  | 62  | 22 | 570     |
| 1261 - 4 | 330 | 105 | 75  | 25 | 1060    |
| 1263 - 6 | 440 | 155 | 93  | 25 | 1700    |
| 1264 - 8 | 565 | 205 | 106 | 32 | 2840    |



# TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
 Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : http://www.tapariatools.com  
 Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740



An ISO-9001 Company

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## Plastic Tool Box With Organizer

### PLASTIC TOOL BOX WITH ORGANIZER

| Product No. | H   | W   | L   | Max. load carrying capacity including self weight (in kgs.) | Std. Pkg. |
|-------------|-----|-----|-----|-------------------------------------------------------------|-----------|
| PTB 13      | 150 | 190 | 335 | 10                                                          | 1         |
| PTB 16      | 195 | 240 | 435 | 13                                                          | 1         |
| PTB 19      | 250 | 260 | 495 | 17                                                          | 1         |
| PTB 22      | 290 | 340 | 585 | 20                                                          | 1         |



PTB 13



PTB 16



PTB 19



PTB 22



- ★ Metal rod hinges for higher load bearing capacity
- ★ Latch type locks for firm locking
- ★ Inside Tray for storing special tools.
- ★ Organizer sections on the top to store fasteners & small objects.
- ★ Specially designed handle for higher load carrying capacity.
- ★ Attractive looks and design.
- ★ Available in 420mm (16) & 480mm (19) sizes.

## 2 IN 1 ROLLING TOOL BOX SET

### Contents :

- Top Tool Box (Size: 51 x 26 x 23 cm)
- Bottom Rolling Tool Box (Size: 61 x 37 x 37 cm)

### Features :

- Strong rubber two Nos Strong Rubber Wheel of 150mm each.
- Top Box with a removable tray inside.
- Heavy duty steel latches.
- Pull out steel handle with cushion grip
- Built in V-groove with Metric scale.

61 x 37 x 37 cm

## PTBR

### 2 IN 1 PLASTIC ROLLING TOOL BOX

| Prod. No. | Description                 | Sizes                                             | Std. Pkg. |
|-----------|-----------------------------|---------------------------------------------------|-----------|
| PTBR      | 2 in 1 Rolling Tool Box Set | Top Box : 51x26x23 cm<br>Bottom Box : 61x37x37 cm | 1         |



Built in V-groove with Metric measuring increments



Pull out steel handle

## TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 6147 8600  
Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : <http://www.tapariatools.com>  
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418

AN ISO-9001 - 2015 COMPANY



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY




## PLIERS



### COMBINATION PLIERS

- ★ Made from high grade Steel, forged, and differentially heat treated to give best performance. Fully insulated with quality plastic material sleeves ensures safe electrical working.
- ★ Excellent wire cutting ability for soft and hard wires. Available with fully polished head or Black phosphated and bright polished head


| PROD. NO | A   | B  | C  | D    | L    | WT. GMS |
|----------|-----|----|----|------|------|---------|
| 1621 - 6 | 165 | 33 | 12 | 23.0 | 10.5 | 185     |
| 1621 - 7 | 185 | 33 | 12 | 23.0 | 11.5 | 240     |
| 1621 - 8 | 210 | 39 | 16 | 27.5 | 12.0 | 325     |
| 1611-6   | 165 | 35 | 13 | 25   | 10   | 170     |
| 1611-7   | 185 | 38 | 15 | 27   | 10.5 | 220     |
| 1611-8   | 200 | 40 | 17 | 30   | 12   | 285     |
| 1601-6   | 165 | 35 | 13 | 25   | 10   | 190     |
| 1601-7   | 185 | 38 | 15 | 27   | 10.5 | 220     |
| 1601-8   | 200 | 40 | 15 | 28   | 12   | 310     |



## SIDE CUTTING PLIERS

- ★ Diagonal cutting edges, precision matched to optimum angle ensure long life for cutting hard and soft wires.


| PROD. NO          | A   | B  | C    | D    | WT. GMS |
|-------------------|-----|----|------|------|---------|
| 1121 - 6          | 165 | 21 | 18.5 | 10.5 | 165     |
| Stripper 1122 - 6 | 165 | 21 | 18.5 | 10.5 | 165     |



## LONG NOSE PLIERS

- ★ Features accurately machined and heat treated jaws. Holds very thin wires and cuts fine wires with ease.


| PROD. NO                | A   | B  | C  | D  | E | F   | WT. GMS |
|-------------------------|-----|----|----|----|---|-----|---------|
| Flat Nose 1421 - 6      | 165 | 50 | 12 | 16 | 9 | 5.0 | 135     |
| Long Nose 1430 - 6      | 170 | 50 | 12 | 16 | 9 | 2.0 | 135     |
| Round Nose Plier 1431-6 | 165 | 50 | -  | 16 | 9 | 2.5 | 130     |



## CIRCLIP PLIERS

- ★ Made from high quality Steel, forged Heat treated and Black phosphated for long trouble free life. Cuts wires and pulls out nails with equal ease.


| PROD. NO          | A   | B  | ØC   | D  | E  | WT. GMS |
|-------------------|-----|----|------|----|----|---------|
| STRAIGHT 1441 - 6 | 160 | 41 | 1.45 | 16 | 9  | 130     |
| BENT 1442 - 6     | 145 | 28 | 1.45 | 16 | 9  | 130     |
| STRAIGHT 1441 - 7 | 195 | 35 | 1.50 | 23 | 10 | 220     |
| BENT 1442 - 7     | 180 | 24 | 1.50 | 23 | 10 | 220     |
| STRAIGHT 1443 - 7 | 195 | 36 | 1.50 | 24 | 10 | 210     |
| BENT 1444 - 7     | 180 | 25 | 1.50 | 24 | 10 | 210     |



## WATER PUMP PLIERS

- ★ Made out of high quality Steel, forged and accurately machined to hold circlips from 12 mm to 60 mm.
- ★ Correctly shaped jaws grips circlips without the danger of flying out. Available in straight and bent version.


| PROD. NO | MAX. OPENING | A  | C  | L   | WT. GMS |
|----------|--------------|----|----|-----|---------|
| 1220     | Ø 35         | 35 | 8  | 200 | 180     |
| 1230     | Ø 40         | 40 | 9  | 250 | 310     |
| 1223     | Ø 35         | 35 | 10 | 200 | 250     |
| 1224     | Ø 35         | 35 | 13 | 250 | 320     |
| 1225     | Ø 45         | 45 | 13 | 250 | 400     |
| 1226     | Ø 60         | 60 | 11 | 310 | 620     |



## PINCER

- ★ Groove type locking design to provide strength and wear resistance. Diamond profile formed with combination of flat and serrations enables holding both round as well as flat surfaces firmly. Jaws design enables use in any position and in confined spaces.

| PROD. NO | A   | B  | C  | D  | WT. GMS |
|----------|-----|----|----|----|---------|
| 1541 - 8 | 200 | 23 | 49 | 19 | 350     |
| ECN 06   | 160 | 8  | 30 | 24 | 180     |



# TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
**Fax :** 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 448 **Fax :** 0253-2350740



**An ISO-9001 Company**

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

*AN ISO-9001 COMPANY*



## ECON PLIERS





H Economical range of Pliers with good quality.

H Drop Forged with quality Carbon steel.

H Accurately machined and heat treated.

H Improved aesthetics with two colour  
Insulation Sleeves & smooth polish finish.



### Long Nose Pliers

| PROD. NO. | A   | B  | C    | D    | E  | F   | WT. GMS |
|-----------|-----|----|------|------|----|-----|---------|
| LN 11     | 280 | 80 | 12.5 | 16.5 | 10 | 2.5 | 315     |

### Bent Nose Pliers

| PROD. NO. | A   | D    | E  | F  | WT. GMS |
|-----------|-----|------|----|----|---------|
| BN 11-45  | 270 | 17.5 | 10 | 32 | 310     |

### Fencing Pliers

| PROD. NO. | A   | B  | C  | D  | WT. GMS |
|-----------|-----|----|----|----|---------|
| FP 10     | 270 | 84 | 40 | 14 | 680     |

### Long Reach Circle Nose Pliers

| PROD. NO.  | A   | D    | E  | F  | WT. GMS |
|------------|-----|------|----|----|---------|
| LC 13 N 11 | 275 | 17.0 | 10 | 15 | 320     |

### Multi Purpose Combination Pliers

| PROD. NO. | A   | D  | E  | WT. GMS |
|-----------|-----|----|----|---------|
| MCP 10    | 255 | 35 | 15 | 540     |
| MCP 12    | 300 | 35 | 15 | 620     |

### Drain Trap Pliers

| PROD. NO. | A   | C  | E  | D  | WT. GMS |
|-----------|-----|----|----|----|---------|
| DTP 10    | 235 | 32 | 11 | 62 | 280     |

### Econ Long Nose Pliers

| PDCT NO. | A   | B  | C    | D  | E   | F   | WT. GMS |
|----------|-----|----|------|----|-----|-----|---------|
| 1420 - 8 | 215 | 75 | 13.5 | 17 | 9.0 | 2.5 | 180     |

### Econ Long Nose Pliers

| PROD. NO. | A   | B  | C    | D    | E | F   | WT. GMS |
|-----------|-----|----|------|------|---|-----|---------|
| 1420-6    | 165 | 50 | 12.0 | 15.5 | 9 | 2.5 | 145     |

### Econ Side Cutting Pliers

| PROD. NO. | A   | B  | C  | D    | WT. GMS |
|-----------|-----|----|----|------|---------|
| 1101 - 6  | 165 | 21 | 20 | 10.0 | 165     |
| 1101 - 8  | 205 | 27 | 23 | 11.5 | 275     |
| HSC 7     | 190 | 25 | 25 | 12.5 | 280     |

### Econ Bent Nose Pliers

| PROD. NO. | A   | D  | E | F  | WT. GMS |
|-----------|-----|----|---|----|---------|
| BN 06     | 170 | 16 | 9 | 20 | 145     |
| BN 08     | 200 | 17 | 9 | 30 | 185     |

### End Wire Stripping Pliers

| PROD. NO. | A   | B  | D  | E | WT. GMS |
|-----------|-----|----|----|---|---------|
| EWS 06    | 160 | 38 | 17 | 9 | 140     |

### WIRE STRIPPER PLIERS

| PROD. NO. | A   | B  | D  | E | WT. GMS |
|-----------|-----|----|----|---|---------|
| WS 06     | 154 | 18 | 15 | 4 | 62      |

### SLIP JOINT PLIERS

| PROD. NO. | A   | B  | D  | E   | WT. GMS |
|-----------|-----|----|----|-----|---------|
| 1221      | 150 | 30 | 28 | 8.5 | 140     |

# TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
**Fax :** 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • **Fax :** 0253-2350740

*An ISO-9001 Company*



**TAPARIA® TAPARIA® TAPARIA® TAPARIA®**


# PUNCHES



Made out of high grade Chrome Steel accurately machined and heat treated. Deep knurling on the Body ensures firm grip. Black phosphate finish.


Made out of high quality Chrome Steel, precision machined and heat treated to punch perfect holes in rubber, leather, carpet, etc. Black phosphate finish.

## CENTRE PUNCH & DRIFT PUNCH




| PROD. NO         | A   | B    | Ø C | Ø D | WT. GMS |
|------------------|-----|------|-----|-----|---------|
| 1884             | 100 | 26.5 | 3   | 8   | 35      |
| 1984             | 100 | 33   | 4   | 10  | 50      |
| 1985             | 125 | 40   | 5   | 12  | 80      |
| 1986             | 150 | 50   | 5   | 12  | 100     |
| DRIFT PUNCH 1004 | 100 | 38   | 3   | 10  | 45      |

## LEATHER PUNCHES



| PROD. NO | A   | B    | Ø C  | Ø D | WT. GMS |
|----------|-----|------|------|-----|---------|
| 1786     | 100 | 6.5  | 7.0  | 12  | 60      |
| 1787     | 100 | 8.5  | 9.0  | 13  | 65      |
| 1788     | 100 | 10.5 | 11.5 | 14  | 70      |

## PIN PUNCHES



| PROD. NO | A   | B  | Ø C  | Ø D | WT. GMS |
|----------|-----|----|------|-----|---------|
| PP 24    | 100 | 35 | 2.4  | 10  | 39      |
| PP 32    | 100 | 35 | 3.2  | 10  | 40      |
| PP 40    | 100 | 35 | 4.0  | 10  | 41      |
| PP 48    | 100 | 35 | 4.8  | 10  | 42      |
| PP 55    | 100 | 35 | 5.5  | 10  | 44      |
| PP 63    | 100 | 35 | 6.3  | 10  | 46      |
| PP 40 L  | 150 | 75 | 4.0  | 10  | 51      |
| PP 48 L  | 150 | 75 | 4.8  | 10  | 55      |
| PP 55 L  | 150 | 75 | 5.5  | 10  | 58      |
| PP 63 L  | 150 | 75 | 6.3  | 10  | 62      |
| PP 80 L  | 150 | 75 | 8.0  | 12  | 90      |
| PP 100 L | 150 | 75 | 10.0 | 12  | 108     |

## DRIFT, CENTRE & LEATHER PUNCH SET

| PROD. NO | CONTENTS                                 |
|----------|------------------------------------------|
| DCLP 7   | 1004, 1884, 1984, 1985, 1786, 1787, 1788 |

## PIN PUNCH SET

| PROD. NO | LENGTH  | CONTENTS                           |
|----------|---------|------------------------------------|
| PPI 6    | 100 mm. | PP24, PP32, PP40, PP48, PP55, PP63 |
| PPI 4    | 150 mm. | PP40L, PP48L, PP55L, PP63L         |

# TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
**Fax :** 91-22-2495 3230. • E-mail : [sales@tapariatools.com](mailto:sales@tapariatools.com) • Web Site : <http://www.tapariatools.com>  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740



An ISO-9001 Company

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## SCREW DRIVERS



★ **TAPARIA®** Offer the most comprehensive range of screw drivers, made out of High Grade Steel and Transparent green cellulose acetate handle.

★ The handle is made from high grade C A Plastic which is non flammable and unaffected by oil, petrol, grease, water etc.


★ Available in wide variety of different tip size & length.

★ Available in Engineer's, Electrician's with insulation on full length of blade, Phillips, and Pozi drive Pattern. Also available with Black tip for superior performance.

★ The handle is precisely designed to give comfortable grip even at higher torque.

★ Hardness on the tip :- 55 - 58 H. R. C.

## SCREW DRIVERS (ENGINEER'S)



| PROD. NO | TIP SIZE B x T | A  | C  | D | L   | WT. GMS |
|----------|----------------|----|----|---|-----|---------|
| 932      | 0.6 x 0.4      | 50 | 13 | 3 | 110 | 10      |
| 933      | 1.6 x 0.4      | 75 | 13 | 3 | 135 | 12      |
| 911      | 3.0 x 0.4      | 50 | 13 | 3 | 110 | 10      |
| 901      | 3.0 x 0.5      | 75 | 17 | 3 | 150 | 21      |

|     |           |     |    |     |     |    |
|-----|-----------|-----|----|-----|-----|----|
| 902 | 3.0 x 0.4 | 100 | 17 | 3   | 175 | 22 |
| 912 | 3.5 x 0.5 | 75  | 14 | 3.5 | 140 | 16 |
| 913 | 4.0 x 0.6 | 100 | 18 | 4   | 180 | 30 |

|     |           |     |    |   |     |    |
|-----|-----------|-----|----|---|-----|----|
| 712 | 4.0 x 0.6 | 125 | 17 | 4 | 200 | 30 |
| 713 | 5.0 x 0.6 | 75  | 18 | 5 | 155 | 35 |
| 921 | 6.0 x 0.6 | 75  | 22 | 6 | 161 | 55 |
| 922 | 6.0 x 0.6 | 100 | 22 | 6 | 186 | 60 |



|     |           |     |    |     |     |    |
|-----|-----------|-----|----|-----|-----|----|
| 923 | 6.0 x 0.8 | 125 | 22 | 6   | 211 | 62 |
| 824 | 6.0 x 0.8 | 150 | 22 | 6   | 236 | 65 |
| 825 | 6.0 x 0.8 | 200 | 22 | 6   | 286 | 77 |
| 826 | 6.0 x 0.8 | 250 | 22 | 6.0 | 336 | 90 |

|     |           |     |    |     |     |     |
|-----|-----------|-----|----|-----|-----|-----|
| 924 | 8.0 x 1.2 | 125 | 28 | 8.0 | 230 | 115 |
| 925 | 8.0 x 1.2 | 150 | 28 | 8.0 | 255 | 130 |
| 926 | 8.0 x 1.2 | 175 | 28 | 8.0 | 280 | 130 |
| 827 | 8.0 x 1.2 | 200 | 28 | 8.0 | 305 | 145 |

|     |            |     |    |      |     |     |
|-----|------------|-----|----|------|-----|-----|
| 828 | 8.0 x 1.2  | 250 | 28 | 8.0  | 355 | 165 |
| 829 | 8.0 x 1.2  | 300 | 28 | 8.0  | 405 | 180 |
| 725 | 8.0 x 1.2  | 150 | 26 | 8.0  | 248 | 120 |
| 927 | 10.0 x 1.2 | 200 | 34 | 10.0 | 327 | 245 |

|     |            |     |    |      |     |     |
|-----|------------|-----|----|------|-----|-----|
| 928 | 10.0 x 1.2 | 250 | 34 | 10.0 | 377 | 275 |
| 929 | 10.0 x 1.5 | 300 | 34 | 10.0 | 427 | 310 |
| 930 | 10.0 x 1.5 | 400 | 34 | 10.0 | 527 | 365 |
| 931 | 13.0 x 1.9 | 450 | 34 | 10.0 | 577 | 395 |

## SCREW DRIVERS (ELECTRICIAN'S)




| PROD. NO | TIP SIZE B x T | A   | C  | D   | L   | WT. GMS |
|----------|----------------|-----|----|-----|-----|---------|
| 822      | 3.5 x 0.5      | 125 | 17 | 3.5 | 200 | 30      |
| 842      | 3.5 x 0.5      | 150 | 17 | 3.5 | 225 | 35      |
| 832      | 3.5 x 0.5      | 200 | 17 | 3.5 | 275 | 40      |

|     |           |     |    |     |     |    |
|-----|-----------|-----|----|-----|-----|----|
| 823 | 4.0 x 0.6 | 150 | 18 | 4.0 | 230 | 40 |
| 833 | 4.0 x 0.6 | 200 | 18 | 4.0 | 280 | 40 |
| 934 | 5.0 x 0.6 | 100 | 22 | 5.0 | 186 | 50 |
| 935 | 5.0 x 0.6 | 125 | 22 | 5.0 | 211 | 55 |

|     |           |     |    |     |     |    |
|-----|-----------|-----|----|-----|-----|----|
| 936 | 5.0 x 0.8 | 150 | 22 | 5.0 | 236 | 60 |
| 937 | 5.0 x 0.8 | 200 | 22 | 5.0 | 286 | 70 |
| 938 | 5.0 x 0.8 | 250 | 22 | 5.0 | 336 | 80 |
| 939 | 5.0 x 0.8 | 300 | 22 | 5.0 | 386 | 90 |

## SCREW DRIVERS (PHILLIPS)




| PROD. NO   | TIP SIZE B x T | A   | C  | D | L   | WT. GMS |
|------------|----------------|-----|----|---|-----|---------|
| P2 859 50  | 00             | 50  | 13 | 3 | 108 | 15      |
| P3 860 60  | 0              | 60  | 17 | 3 | 135 | 20      |
| P3 860 150 | 0              | 150 | 17 | 3 | 225 | 25      |
| P5 861 75  | 1              | 75  | 22 | 3 | 160 | 50      |

|            |   |     |    |   |     |    |
|------------|---|-----|----|---|-----|----|
| P5 861 100 | 1 | 100 | 22 | 5 | 185 | 55 |
| P5 861 150 | 1 | 150 | 22 | 5 | 235 | 60 |
| P5 861 200 | 1 | 200 | 22 | 5 | 285 | 65 |
| P6 862 100 | 2 | 100 | 22 | 6 | 198 | 80 |


|            |   |     |    |   |     |     |
|------------|---|-----|----|---|-----|-----|
| P6 862 150 | 2 | 150 | 26 | 6 | 248 | 95  |
| P6 862 200 | 2 | 200 | 26 | 6 | 298 | 110 |
| P6 862 250 | 2 | 250 | 26 | 6 | 348 | 125 |
| P6 862 300 | 2 | 300 | 26 | 6 | 398 | 140 |

|            |   |     |    |    |     |     |
|------------|---|-----|----|----|-----|-----|
| P8 863 150 | 3 | 150 | 28 | 8  | 255 | 155 |
| P8 863 200 | 3 | 200 | 28 | 8  | 305 | 175 |
| P8 863 250 | 3 | 250 | 28 | 8  | 355 | 195 |
| P8 863 300 | 3 | 300 | 28 | 8  | 405 | 215 |
| P1 864 200 | 4 | 200 | 34 | 10 | 327 | 250 |




| PROD. NO | TIP SIZE B x T      | A  | C  | D | L   | WT. GMS |
|----------|---------------------|----|----|---|-----|---------|
| 954      | 6.0 x 0.8           | 25 | 30 | 6 | 75  | 40      |
| 964      | 6.0 x 0.8           | 50 | 30 | 6 | 100 | 45      |
| 966      | 9.0 x 1.2           | 50 | 30 | 8 | 100 | 60      |
| 855      | 6.0 x PHILLIPS NO.2 | 50 | 30 | 6 | 100 | 45      |

## TWO IN ONE STUBBY SCREW DRIVER



| PROD. NO | A  | C  | D | L   | TIP SIZE D1 x T1 | TIP SIZE D2 x T2 | L1 | WT. GMS |
|----------|----|----|---|-----|------------------|------------------|----|---------|
| 974      | 95 | 22 | 6 | 180 | 6.0 x 0.8        | 6.0 x 2 PHILLIPS | 75 | 55      |

## SCREW DRIVERS TWO-IN-ONE



| PROD. NO. | A   | C  | L   | TIP SIZE D1 x T1 | TIP SIZE D2 x T2  | L1  | WT. GMS |
|-----------|-----|----|-----|------------------|-------------------|-----|---------|
| 803       | 55  | 17 | 130 | 3.5 x 0.5        | 3.5 x 0 PHILLIPS  | 122 | 25      |
| 804       | 75  | 18 | 155 | 5.0 x 0.8        | 5.0 x 1 PHILLIPS  | 122 | 40      |
| 809       | 75  | 18 | 155 | 5.0 x 0.8        | 3.5 x 0.5         | 127 | 40      |
| 810       | 60  | 14 | 125 | 2.3 x 0.4        | 2.5 x 00 PHILLIPS | 110 | 20      |
| 850       | 200 | 22 | 284 | 3.5 x 0 PHILLIPS | 5.0 x 1 PHILLIPS  | 250 | 80      |
| 851       | 200 | 25 | 396 | 5.0 x 1 PHILLIPS | 6.0 x 2 PHILLIPS  | 250 | 105     |
| 852       | 200 | 27 | 313 | 6.0 x 2 PHILLIPS | 8.0 x 3 PHILLIPS  | 255 | 170     |
| 903       | 250 | 23 | 342 | 6.0 x 0.8        | 2.5 x 00 PHILLIPS | 300 | 100     |
| 904       | 100 | 23 | 192 | 6.0 x 0.7        | 5.0 x 1 PHILLIPS  | 150 | 60      |
| 905       | 140 | 23 | 232 | 6.0 x 0.8        | 6.0 x 2 PHILLIPS  | 190 | 70      |
| 906       | 140 | 27 | 245 | 8.0 x 0.9        | 8.0 x 3 PHILLIPS  | 205 | 115     |

## TORX SCREW DRIVERS

★ The blade is made from high grade silicon manganese steel.

★ The blade is fully hardened & tempered withstand high torque requirements.

★ The blade is magnetized to lift screws etc from confined spaces or to hold screw in position.

★ The blade is effectively protected against corrosion by Nickel Chrome plating.




## STRIKING SCREW DRIVER




| PROD. NO | A   | C  | D   | L   | WT. GMS |
|----------|-----|----|-----|-----|---------|
| OGS 8210 | 75  | 17 | 3.0 | 140 | 22      |
| OGS 8260 | 150 | 17 | 3.0 | 215 | 28      |
| OGS 1200 | 75  | 17 | 3.0 | 150 | 22      |
| OGS 1250 | 150 | 17 | 3.0 | 225 | 28      |

## SCREW DRIVER WITH CA GREEN WITH BIGGER SIZE HANDLES




| PROD. NO | TIP SIZE B x T | A   | C  | D | L   | WT. GMS |
|----------|----------------|-----|----|---|-----|---------|
| 922 H5   | 6.0 x 0.6      | 100 | 26 | 6 | 198 | 75      |
| 923 H5   | 6.0 x 0.6      | 125 | 26 | 6 | 223 | 80      |
| 824 H5   | 6.0 x 0.6      | 150 | 26 | 6 | 248 | 90      |
| 825 H5   | 6.0 x 0.6      | 200 | 26 | 6 | 298 | 100     |
| 826 H5   | 6.0 x 0.6      | 250 | 26 | 6 | 348 | 110     |
| 839 H5   | 6.0 x 0.6      | 300 | 26 | 5 | 398 | 120     |



| PROD. NO | A   | C  | D   | L   | WT. GMS |
|----------|-----|----|-----|-----|---------|
| T - 5    | 75  | 17 | 3.0 | 140 | 22      |
| T - 5L   | 150 | 17 | 3.0 | 215 | 28      |
| T - 6    | 75  | 17 | 3.0 | 150 | 22      |
| T - 6L   | 150 | 17 | 3.0 | 225 | 28      |
| T - 8    | 75  | 17 | 3.5 | 150 | 25      |
| T - 8L   | 150 | 17 | 3.5 | 225 | 35      |
| T - 10   | 75  | 17 | 3.5 | 150 | 25      |
| T - 10L  | 150 | 17 | 3.5 | 225 | 35      |
| T - 15   | 75  | 22 | 5.0 | 161 | 50      |
| T - 15L  | 150 | 22 | 5.0 | 236 | 60      |
| T - 20   | 100 | 22 | 5.0 | 186 | 55      |
| T - 20L  | 200 | 22 | 5.0 | 286 | 65      |
| T - 25   | 100 | 26 | 6.0 | 198 | 90      |
| T - 25L  | 200 | 26 | 6.0 | 298 | 105     |
| T - 30   | 100 | 26 | 6.0 | 198 | 90      |
| T - 30L  | 200 | 26 | 6.0 | 298 | 105     |
| T - 40   | 125 | 28 | 8.0 | 230 | 120     |
| T - 40L  | 200 | 28 | 8.0 | 305 | 150     |

## SCREW DRIVERS (POKER)



| PROD. NO | TIP SIZE B X T | A  | C  | D | L   | WT. GMS |
|----------|----------------|----|----|---|-----|---------|
| 871      | SQ. POKER      | 95 | 22 | 6 | 180 | 55      |

## SCREW DRIVERS SETS

| PROD. NO | NO. OFF BLADES | COLLET TYPE  | A  | C  | D | L   | BLADE TIP SIZES                                        | WT. GMS |
|----------|----------------|--------------|----|----|---|-----|--------------------------------------------------------|---------|
| 821      | 6              | STEEL COLLET | 75 | 22 | 6 | 175 | Phillips No.00; Phillips No.0; 6 Oxo.6; Phillips No.1; | 210     |
|          |                |              |    |    |   |     | Phillips No.2; Phillips No.3                           |         |
| 848      | 4              | CLIP TYPE    | 77 | 25 | 6 | 175 | 2.5x0.4, 3.5x0.5, 5x0.6, 6x0.6 Phillips No.00, 0, 1.   | 175     |



## SCREW DRIVERS SETS (SPECIAL WITH NEON BULBS)



| PROD. NO | NO. OFF BLADES | COLLET TYPE  | A  | C  | D   | L   | BLADE TIP SIZES                                                             | WT. GMS |
|----------|----------------|--------------|----|----|-----|-----|-----------------------------------------------------------------------------|---------|
| 802      | 5              | CLIP TYPE    | 95 | 18 | 6   | 175 | 6.0x0.8; 3.5x0.5; Phillips No. 0; Square Poker; Phillips No. 1              | 145     |
| 812      | 5              | STEEL COLLET | 95 | 25 | 6   | 200 | 6.0x0.8; 3.5x0.5; Phillips No. 0; Square Poker; Phillips No. 1              | 170     |
|          |                |              |    |    |     |     | 6.0x0.8; 4.3x0.6; 3.5x0.5; Sq.Poker;                                        | 180     |
| 820      | 8              | CLIP TYPE    | 9  | 18 | 5   | 175 | Phillips No.1; Phillips No.2 Round Poker; Wood Screw Type.                  |         |
|          |                |              |    |    |     |     | 6.0x0.8; 4.3x0.6; 3.5x0.5; Sq.Poker;                                        |         |
| 831      | 8              | CLIP TYPE    | 95 | 22 | 5   | 190 | Phillips No.1; Phillips No.2 Round Poker; Wood Screw Type.                  | 190     |
| 840      | 6              | STEEL COLLET | 95 | 25 | 6   | 200 | 6.0x0.8; 3.5x0.5; Phillips No.0; Extension Bar, Square Poker; Phillips No.1 | 185     |
| 891      | 5              | CLIP TYPE    | 60 | 18 | 3.5 | 135 | 3.5x0.5; 2.5x0.4; 1.6x0.4; Square Poker; Phillips No. 00                    | 50      |

## SCREW DRIVERS KITS (HANGING POUCH)

| PROD. NO | CONTENT                                                                   |
|----------|---------------------------------------------------------------------------|
| 1012     | Consisting of 6 Screw Drivers 827, 913, P5 861 75, 824, 913, 713          |
| 1013     | Consisting of 8 Screw Driver 713, 922, 725, 828, 912, 712, 937, p5 861 75 |



## SCREW DRIVERS KITS (BLISTER PACKING)

| PROD. NO | CONTENT                                                                                       |
|----------|-----------------------------------------------------------------------------------------------|
| 1014     | Consisting of 7 Screw Drivers 824, P5 861 75, P6 862 100, 913, 925, 935, 814                  |
| 1017     | Consisting of 5 Phillips Screw Driver P3 859 50, P3 860 60, P5 861 75, P6 862 100, P8 863 200 |




## LINE TESTER

- ★ **TAPARIA®** Line Tester has high quality blade and cellulose acetate plastic Handle.
- ★ Fully insulated blade ensures shock proof working.
- ★ Distinct glow of Neow lamp identifies line 'live'.
- ★ Features a clip for safe carrying in pocket.
- ★ Available in several sizes.



## SCREW DRIVERS (SPECIAL WITH NEON BULBS)




| PROD. NO | A   | TIP SIZE B x T | C  | D | L   | WEIGHT GRAMS |
|----------|-----|----------------|----|---|-----|--------------|
| 813      | 55  | 3.5 x 0.4      | 17 | 6 | 130 | 25           |
| 814      | 60  | 3.5 x 0.5      | 14 | 6 | 125 | 20           |
| 815      | 100 | 3.5 x 0.5      | 18 | 6 | 180 | 35           |

|     |     |           |    |   |     |    |
|-----|-----|-----------|----|---|-----|----|
| 816 | 95  | 3.5 x 0.5 | 17 | 6 | 170 | 35 |
| 818 | 60  | SQ. POKER | 14 | 6 | 125 | 20 |
| 873 | 114 | 4.0 x 0.6 | 18 | 4 | 200 | 30 |

## THREE IN ONE TESTER



- ★ Consists of a **TAPARIA®** Line Tester and an easily attachable extension cord with a Test Probe.
- ★ Easily checks 'live' or Neutral wire, continuity or break in circuit.
- ★ Identifies two different phases.
- ★ Ideal for domestic use.




| PROD. NO   | TIP SIZE B x T | C  | L    | WEIGHT GRAMS |
|------------|----------------|----|------|--------------|
| 817 - 1413 | 3.5 x 0.5      | 14 | 1200 | 65           |

# MULTIPURPOSE DIGITAL TESTER (MDT 81)

★ **TAPARIA®** Multipurpose Digital Testers are useful for a wide variety of electrical functions as follows :-


- 1) To Measure 12V to 220V AC and DC Voltage.
- 2) To locate break point of an insulated wire.
- 3) To check flow of current in an insulated wire from outside.



| PROD. NO. | A  | B x T     | C  | L   | WT. GMS |
|-----------|----|-----------|----|-----|---------|
| MDT 81    | 20 | 3.0 x 0.5 | 18 | 130 | 17      |
| MDT N 82  | 20 | 3.0 x 0.5 | 18 | 130 | 17      |

## TIPS for use :-

- 1) For measuring voltage
  - a) The extreme right displayed voltage is the voltage of the wire tested, whether it is 12V, 36V, 55V, 110V, 220V. As shown in fig. ①
  - b) The Digital tester will display full voltage value e.g. 220 when atleast 70% of 220 voltage is measured or else it will show the lower step voltage i.e. 110V.
  - c) To check DC voltage touch upper button of the tester.
  - d) To check below 12 volts touch induction button as in fig. ②
- 2) To check continuity or break point of a wire.
  - a) For checking the Phase line and Neutral line, place the tester blade on the PVC insulation of the wire. Only in case of Phase line flash mark will appear on the LCD Display as shown in fig. ② in the above drawing.
  - b) To check continuity on parallel lines, it is necessary to separate them from each other, so as to eliminate interference.
  - c) Break point can be detected by touching the outside of PVC insulation of the wire. The exact break point will be at the place where ✎ flash mark stops glowing as shown in case of fig. ③



## TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
**Fax :** 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • **Fax :** 0253-2350740



*An ISO-9001 Company*

**TAPARIA® TAPARIA® TAPARIA® TAPARIA®**



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## SCREW DRIVER BITS




### 80 PCS S/D BIT SET

- ★ 80 pcs screw driver Bit Set is an ideal buy for workshops, garages, assembly lines in factory and all professionals.
- ★ The Bit Set contains variety of Screw Driver Bits, Adaptors and a Ratchet Bit Driver.
- ★ The Screw Driver Bits in the set are Nickel Chrome Plated.

| PROD. NO.                    | CONTENTS                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------|
| BS 80<br>(WEIGHT GRAMS 1325) | 25 mm Hex - 2, 2.5, 3, 4, 5, 6                                                                 |
|                              | 25 mm Flat - 3, 4, 5, 5.5, 6, 6.5                                                              |
|                              | 25 mm Torx - T8, T10, T15, T20, T25, T27, T30, T40 (without Tamper / without Hole)             |
|                              | 25 mm Torx - TT8, TT10, TT15, TT20, TT25, TT27, TT30, TT40 (with Tamper / with Hole)           |
|                              | 25 mm Phillips - PH0, PH1, PH2, PH3                                                            |
|                              | 25 mm Adaptor - (1/4 Sq. Drive)                                                                |
|                              | 50 mm Hex - 2, 2.5, 3, 4, 5, 6                                                                 |
|                              | 50 mm Flat - 3, 4, 5, 5.5, 6, 6.5                                                              |
|                              | 50 mm Torx - T8, T10, T15, T20, T25, T27, T30, T40 (without Tamper / without Hole)             |
|                              | 50 mm Torx - TT8, TT10, TT15, TT20, TT25, TT27, TT30, TT40 (with Tamper / with Hole)           |
|                              | 50 mm Phillips - PH0, PH1, PH2, PH3                                                            |
|                              | 50 mm Adaptor - (1/4 Sq. Drive)                                                                |
|                              | 65 mm Two-in-One- PH1xSL4.5, PH2xSL5.5, PH3xSL6.5, PH1xPH1, PH1xPH2, PH2xPH2, PH2xPH3, PH3xPH3 |
|                              | 110 mm Two-in-One- PH1xPH1, PH2xPH2, PH3xPH3                                                   |
|                              | 60 mm Bit Holder, Ratchet Bit Driver                                                           |


### BIT DRIVER SET WITH S/D BITS

- ★ A portable & Economical Bit Set for all professionals and householders.
- ★ Ten most commonly used Screw Drive Bits of 25 mm length placed in-side the handle of a sturdy Bit Driver.





| PROD. NO. | A   | B    | C  | D | L   | CONTENTS                                                               | WT. GMS |
|-----------|-----|------|----|---|-----|------------------------------------------------------------------------|---------|
| BDS 125   | 125 | 6.40 | 31 | 8 | 242 | Torx - T5, T6, T8, T10<br>Phillips No. 0, 1, 2<br>Flat : 3mm, 4mm, 5mm | 130     |

### BIT DRIVER



| PROD. NO. | A   | B    | C  | D | L   | WT. GMS |
|-----------|-----|------|----|---|-----|---------|
| BD 125    | 125 | 6.40 | 26 | 6 | 222 | 90      |

## SCREW DRIVER BITS - (1/4) HEXAGONAL DRIVE :



★ Made from expensive high alloy steel.

★ Accurately hardened & Tempered to 56-60 HRC.

★ To withstand high torque and high wear resistance properties.

★ Precisely machined Phillips, Torx, Flat & Hexagon Tips.

★ One of the widest range of quality Screw Driver Bits in india.

## PHILLIPS HEAD SCREW DRIVER BITS

### 25MM & 50 MM SINGLE HEAD


| PROD. NO. | SIZE | B | C  | L  | WT. GMS |
|-----------|------|---|----|----|---------|
| SBP 250   | 0    | 4 | 15 | 25 | 5.0     |
| SBP 251   | 1    | 5 | 15 | 25 | 5.0     |
| SBP 252   | 2    | 6 | 15 | 25 | 5.0     |
| SBP 253   | 3    | 6 | 15 | 25 | 5.0     |
| SBP 500   | 0    | 4 | 25 | 50 | 8.0     |
| SBP 501   | 1    | 5 | 40 | 50 | 11.0    |
| SBP 502   | 2    | 6 | 40 | 50 | 11.0    |
| SBP 503   | 3    | 6 | 25 | 50 | 11.0    |

### 50MM, 65MM & 110 MM DOUBLE HEAD




| PROD. NO.  | SIZE        | PH | A | B1   | B2   | L   | WT. GMS |
|------------|-------------|----|---|------|------|-----|---------|
| SBPP 5011  | 50xPH1xPH1  | 1  | 1 | 5    | 5    | 50  | 10.0    |
| SBPP 5012  | 50xPH1xPH2  | 1  | 2 | 5    | 6    | 50  | 10.0    |
| SBPP 5013  | 50xPH1xPH3  | 1  | 3 | 5    | 6    | 50  | 10.0    |
| SBPP 5022  | 50xPH2xPH2  | 2  | 2 | 6    | 6    | 50  | 11.0    |
| SBPP 5023  | 50xPH2xPH3  | 2  | 3 | 6    | 6    | 50  | 11.0    |
| SBPP 5033  | 50xPH3xPH3  | 3  | 3 | 6    | 6    | 50  | 11.0    |
| SBPP 6512  | 65xPH1xPH2  | 1  | 2 | 6.35 | 6.35 | 65  | 14.0    |
| SBPP 6523  | 65xPH2xPH3  | 2  | 3 | 6.35 | 6.35 | 65  | 14.0    |
| SBPP 11011 | 110xPH1xPH1 | 1  | 1 | 5    | 5    | 110 | 25.0    |
| SBPP 11012 | 110xPH1xPH2 | 1  | 2 | 5    | 6    | 110 | 25.0    |
| SBPP 11022 | 110xPH2xPH2 | 2  | 2 | 6    | 6    | 110 | 25.0    |
| SBPP 11023 | 110xPH2xPH3 | 2  | 3 | 6    | 6    | 110 | 25.0    |
| SBPP 11033 | 110xPH3xPH3 | 3  | 3 | 6    | 6    | 110 | 25.0    |

## TORX HEAD SCREW DRIVER BITS



### 25 MM SINGLE HEAD


| PROD. NO. | SIZE | C  | L  | WT. GMS |
|-----------|------|----|----|---------|
| SBT 255   | T 5  | 11 | 25 | 4.0     |
| SBT 256   | T 6  | 11 | 25 | 4.0     |
| SBT 257   | T 7  | 11 | 25 | 4.0     |
| SBT 258   | T 8  | 11 | 25 | 4.0     |
| SBT 259   | T 9  | 11 | 25 | 4.0     |
| SBT 2510  | T 10 | 11 | 25 | 4.5     |
| SBT 2515  | T 15 | 11 | 25 | 4.5     |
| SBT 2520  | T 20 | 11 | 25 | 4.5     |
| SBT 2525  | T 25 | 11 | 25 | 5.0     |
| SBT 2527  | T 27 | 11 | 25 | 5.0     |
| SBT 2530  | T 30 | 11 | 25 | 5.0     |
| SBT 2540  | T 40 | -  | 25 | 5.5     |
| SBT 2545  | T 45 | 11 | 25 | 6.0     |



### 50 MM SINGLE HEAD


| PROD. NO. | SIZE | C  | L  | WT. GMS |
|-----------|------|----|----|---------|
| SBT 505   | T 5  | 11 | 50 | 7.0     |
| SBT 506   | T 6  | 11 | 50 | 7.0     |
| SBT 507   | T 7  | 11 | 50 | 7.0     |
| SBT 508   | T 8  | 11 | 50 | 7.0     |
| SBT 509   | T 9  | 11 | 50 | 7.0     |
| SBT 5010  | T 10 | 11 | 50 | 7.5     |
| SBT 5015  | T 15 | 11 | 50 | 7.5     |
| SBT 5020  | T 20 | 11 | 50 | 8.0     |
| SBT 5025  | T 25 | 11 | 50 | 9.0     |
| SBT 5027  | T 27 | 11 | 50 | 10.0    |
| SBT 5030  | T 30 | 11 | 50 | 11.0    |
| SBT 5040  | T 40 | -  | 50 | 12.0    |

## FLAT HEAD BITS



### 25 MM

| PROD. NO. | SIZE     | A    | B | C  | L  | WT. GMS |
|-----------|----------|------|---|----|----|---------|
| SBF 253   | 25x3x0.5 | 0.50 | 3 | 15 | 25 | 4.5     |
| SBF 254   | 25x4x0.6 | 0.60 | 4 | 15 | 25 | 4.5     |
| SBF 255   | 25x5x0.8 | 0.80 | 5 | 15 | 25 | 5.0     |
| SBF 256   | 25x6x1.0 | 1.00 | 6 | 15 | 25 | 5.0     |
| SBF 258   | 25x8x1.2 | 1.20 | 8 | 15 | 25 | 5.0     |




### 50 MM

| PROD. NO. | SIZE     | A    | B | C  | L  | WT. GMS |
|-----------|----------|------|---|----|----|---------|
| SBF 503   | 50x3x0.5 | 0.50 | 3 | 25 | 50 | 8.5     |
| SBF 504   | 50x4x0.6 | 0.60 | 4 | 25 | 50 | 8.5     |
| SBF 505   | 50x5x0.8 | 0.80 | 5 | 25 | 50 | 10.0    |
| SBF 506   | 50x6x1.0 | 1.00 | 6 | 25 | 50 | 11.0    |
| SBF 508   | 50x8x1.2 | 1.20 | 8 | 25 | 50 | 11.0    |

## HEXAGON HEAD BITS

### METRIC SERIES 25 MM & 50 MM LENGTH

| PROD. NO. | B    | C     | L  | WT. GMS |
|-----------|------|-------|----|---------|
| SBH 2515  | 1.5  | 17    | 25 | 4.0     |
| SBH 252   | 2    | 17    | 25 | 4.0     |
| SBH 2525  | 2.5  | 17    | 25 | 4.5     |
| SBH 253   | 3    | 17    | 25 | 5.0     |
| SBH 254   | 4    | 17    | 25 | 5.0     |
| SBH 255   | 5    | 17    | 25 | 6.0     |
| SBH 256   | 6    | 17    | 25 | 6.0     |
| SBH 258   | 8    | 17    | 25 | 8.0     |
| SBH 2510  | 10   | 17    | 25 | 10.0    |
| SBH 5015  | 1.5  | 40    | 50 | 10.0    |
| SBH 502   | 2    | 40    | 50 | 10.0    |
| SBH 5025  | 2.5  | 40    | 50 | 10.0    |
| SBH 503   | 3    | 25    | 50 | 11.0    |
| SBH 504   | 4    | 40    | 50 | 11.0    |
| SBH 505   | 5    | 40    | 50 | 12.0    |
| SBH 506   | 6    | 40    | 50 | 12.0    |
| SBH 508   | 8.0  | 9.20  | 50 | 21.0    |
| SBH 5010  | 10.0 | 11.50 | 50 | 33.0    |




### INCH SERIES 50 MM LENGTH

| PROD. NO. | B    | C  | L  | WT. GMS |
|-----------|------|----|----|---------|
| SBH 50116 | 1/16 | 40 | 50 | 10.0    |
| SBH 50564 | 5/64 | 40 | 50 | 10.0    |
| SBH 50332 | 3/32 | 40 | 50 | 10.0    |
| SBH 50764 | 7/64 | 40 | 50 | 10.0    |
| SBH 5018  | 1/18 | 40 | 50 | 11.0    |
| SBH 50964 | 9/64 | 40 | 50 | 11.0    |
| SBH 50532 | 5/32 | 40 | 50 | 11.0    |
| SBH 50316 | 3/16 | 40 | 50 | 12.0    |
| SBH 50732 | 7/32 | 40 | 50 | 12.0    |
| SBH 5014  | 1/4  | 40 | 50 | 12.0    |

## TWO IN ONE SCREW DRIVER BITS

### 50 MM, 65 MM & 110 MM

| PROD. NO.  | PH | A   | B   | B1   | L   | WT. GMS |
|------------|----|-----|-----|------|-----|---------|
| SBPF 5026  | 2  | 1.0 | 6   | 6    | 50  | 10.0    |
| SBPF 65145 | 1  | 1.0 | 4.5 | 6.35 | 65  | 14.0    |
| SBPF 65255 | 2  | 1.0 | 5.5 | 6.35 | 65  | 14.0    |
| SBPF 65365 | 3  | 1.0 | 6.5 | 6.35 | 65  | 14.0    |
| SBPF 11026 | 2  | 1.0 | 6   | 6    | 110 | 25.0    |





# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## SNAP OFF CUTTERS



| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| SK-1     | 19             | 10 Pcs.   |



- ABS plastic body for higher strength metal — to hold the blade firmly during use.
- Blade made from high grade steel for sharp and long cutting.
- Ergonomically shaped body with soft grip for comfort in use.
- Locking system for enhanced safety.

| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| SKE-9    | 9              |           |
| SKE-18   | 18             |           |



| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| SKB-9    | 9              |           |
| SKB-1810 | 18             |           |

- Blade made from high grade steel for sharp & long cutting.
- Auto locking system for safety & ease in operation
- Ergonomically designed body

## UTILITY KNIFE



- TAPARIA Utility Knife is made from Die Cast Zinc for higher strength.
- Blades made from high grade steel for sharp and long cutting.
- Two extra spare blades provided inside the body.
- Ergonomically shaped body for comfort in cutting.

| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| UK-3     | 19             | 6 Pcs.    |



- SPARE BLADE FOR (UK-3)

| Prod.No. | Blade Width mm | Std. Pkg. |
|----------|----------------|-----------|
| UB-10    | 19             | 10 Pcs.   |

## TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. Tel : 6147 8600  
Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : <http://www.tapariatools.com>  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. Tel : 2350 317 / 318 / 418 • Fax : 0253-2350740

An ISO-9001 Company



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## SOCKET SET

### SOCKET SET 12.7 MM (1/2") SQUARE DRIVE REGULAR & EXEL

Consists of Selected Sockets and Accessories, neatly packed in attractive powder coated carrying case.




| PRODUCT NO.             |                       |                           |                       | CONTENTS                                       |
|-------------------------|-----------------------|---------------------------|-----------------------|------------------------------------------------|
| REGULAR                 |                       | EXEL                      |                       |                                                |
| Bihexagonal Socket sets | Hexagonal Socket sets | Bihexagonal Socket sets   | Hexagonal Socket sets |                                                |
| S-11 M (MM)             | S-11 H (MM)           | S-11 M/XL                 | S-11 HXL              | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 |
| (22 Sockets +           |                       | (22 Sockets +             |                       | 23, 24, 26, 27, 28, 29, 30, 32, 33 & 34        |
| 5 Accessories)          |                       | 5 Accessories)            |                       | Accessories - Reversible Ratchet 1715          |
|                         |                       |                           |                       | Extension Bar 1753, Extension Bar 1763,        |
|                         |                       |                           |                       | Universal Joint 1773, T-Handle 1733,           |
|                         |                       |                           |                       |                                                |
| S-14 M (MM)             | S-14 H (MM)           | S-14 MXL                  | S-14 HXL              | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,  |
| (22 Sockets +           |                       | (22 Sockets +             |                       | 21, 22, 23, 24, 26, 27, 28, 29, 30 & 32        |
| 5 Accessories)          |                       | 5 Accessories)            |                       | Accessories - Reversible Ratchet 1715          |
|                         |                       |                           |                       | Extension Bar 1753, Extension Bar 1763,        |
|                         |                       |                           |                       | Universal Joint 1773, T-Handle 1733,           |
|                         |                       |                           |                       |                                                |
| S-15 M (MM)             | S-15 H (MM)           | S-15 MXL                  | S-15 HXL              | 11, 12, 13, 14, 15, 16, 17, 18, 19, 21,        |
| (19 Sockets +           |                       | (19 Sockets +             |                       | 22, 23, 24, 26, 27, 28, 29, 30 & 32            |
| 5 Accessories)          |                       | 5 Accessories)            |                       | Accessories - 1753, 1763, 1773, 1733,          |
|                         |                       |                           |                       | 1715, 1783,                                    |
|                         |                       |                           |                       |                                                |
| S-16 M (MM)             | S-16 M (MM)           | S-16 MXL                  | S-16 HXL              | 11, 12, 13, 14, 15, 16, 17, 18, 19, 21,        |
| (19 Sockets +           |                       | (19 Sockets +             |                       | 22, 23, 24, 26, 27, 28, 29, 30 & 32            |
| 6 Accessories)          |                       | 6 Accessories)            |                       | Accessories - 1753, 1763, 1773, 1733           |
|                         |                       |                           |                       | 1715, 1783, Handle 1734                        |
|                         |                       |                           |                       |                                                |
| S-22 M (MM)             | S-22 H (MM)           | S-22 HXL                  | S-22 HXL              | 10, 11, 13, 14, 17, 19, 22, 24, 27, 30 & 32    |
| (11 Sockets +           |                       | (11 Sockets +             |                       | Accessories - Ext.Bar 1753, Ext.Bar 1763,      |
| 4 Accessories)          |                       | 4 Accessories)            |                       | Flexible Handle 1703, Reversible Ratchet 1715  |
|                         |                       |                           |                       |                                                |
| S-23 M (MM)             | S-23 M (MM)           | S-23 MXL                  | S-23 HXL              | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,  |
| (14 Sockets +           |                       | (14 Sockets +             |                       | 21 & 22                                        |
| 4 Accessories)          |                       | 4 Accessories)            |                       | Accessories - Ext.Bar 1753, Ext.Bar 1763,      |
|                         |                       |                           |                       | Offset Handle 1734, T-Handle 1733S             |
|                         |                       |                           |                       |                                                |
|                         |                       | S-31 MXL                  | S-31 HXL              | 11, 14, 17, 19, 22 & 24                        |
|                         |                       | (6 Sockets + 1 Accessory) |                       | Angle Handle 1734                              |

## SOCKETS

Hot upset forged high grade chrome vanadium steel to ensure highest quality. Available with 12.7 mm (1/2") square drive with 12 cornered Bihexagonal Pattern and 6 cornered Hexagonal Pattern for Impact application. Also available with 19mm (3/4) square drive with 12 cornered Bihexagonal pattern.

Thoroughly corrosion protected with Bright Nickel Chrome finish Heat treated to give torque ratings far above prescribed ratings.





### 1/2 DRIVE BIHEXAGONAL AND HEXAGONAL SOCKETS

| PROD. NO. | FIG. NO. | A  | B  | C  | ØD   | ØE | A/F | WEIGHT GRAMS |
|-----------|----------|----|----|----|------|----|-----|--------------|
| 8         | 1        | 36 | 20 | 16 | 12.0 | 22 | 8   | 45           |
| 9         | 1        | 36 | 20 | 16 | 13.0 | 22 | 9   | 45           |
| 10        | 1        | 36 | 20 | 16 | 16.0 | 22 | 10  | 45           |

|    |   |    |    |    |      |    |    |    |
|----|---|----|----|----|------|----|----|----|
| 11 | 1 | 36 | 20 | 16 | 17.5 | 22 | 11 | 48 |
| 12 | 1 | 36 | 20 | 16 | 18.7 | 22 | 12 | 50 |
| 13 | 1 | 36 | 20 | 16 | 20.0 | 22 | 13 | 52 |
| 14 | 1 | 36 | 20 | 16 | 21.3 | 22 | 14 | 52 |

|    |   |    |   |   |      |   |    |    |
|----|---|----|---|---|------|---|----|----|
| 15 | 2 | 38 | - | - | 22.5 | - | 15 | 52 |
| 16 | 2 | 38 | - | - | 23.5 | - | 16 | 52 |
| 17 | 2 | 38 | - | - | 25.0 | - | 17 | 75 |
| 18 | 2 | 38 | - | - | 25.5 | - | 18 | 70 |

|    |   |    |   |   |      |   |    |     |
|----|---|----|---|---|------|---|----|-----|
| 19 | 2 | 40 | - | - | 27.5 | - | 19 | 90  |
| 21 | 2 | 40 | - | - | 28.9 | - | 21 | 104 |
| 22 | 2 | 40 | - | - | 31.0 | - | 22 | 125 |
| 23 | 2 | 43 | - | - | 31.3 | - | 23 | 120 |

|    |   |    |    |    |      |    |    |     |
|----|---|----|----|----|------|----|----|-----|
| 24 | 3 | 43 | 18 | 25 | 32.5 | 30 | 24 | 130 |
| 26 | 3 | 43 | 18 | 25 | 35.2 | 30 | 26 | 140 |
| 27 | 3 | 46 | 18 | 25 | 36.4 | 30 | 27 | 150 |
| 28 | 3 | 46 | 18 | 28 | 37.7 | 30 | 28 | 165 |

|    |   |    |    |    |      |    |    |     |
|----|---|----|----|----|------|----|----|-----|
| 29 | 3 | 46 | 18 | 28 | 38.9 | 30 | 29 | 165 |
| 30 | 3 | 46 | 18 | 28 | 40.4 | 30 | 30 | 185 |
| 32 | 3 | 46 | 17 | 29 | 42.7 | 30 | 32 | 195 |
| 33 | 3 | 46 | 17 | 29 | 43.9 | 30 | 33 | 195 |
| 34 | 3 | 46 | 17 | 29 | 45.2 | 30 | 34 | 190 |

### Heavy Duty Hexagonal SOCKETS

| PROD. NO. | FIG. NO. | A  | B  | C  | ØD   | ØE   | A/F | WEIGHT GRAMS |
|-----------|----------|----|----|----|------|------|-----|--------------|
| HD 10     | 1        | 36 | 20 | 16 | 17.0 | 22.5 | 10  | 55           |
| HD 11     | 1        | 36 | 20 | 16 | 18.5 | 22.5 | 11  | 60           |
| HD 13     | 1        | 38 | 21 | 17 | 21.2 | 24.0 | 13  | 80           |

|       |   |    |    |    |      |      |    |     |
|-------|---|----|----|----|------|------|----|-----|
| HD 14 | 1 | 38 | 21 | 17 | 22.5 | 24.0 | 14 | 80  |
| HD 17 | 2 | 38 | -  | -  | 26.5 | -    | 17 | 85  |
| HD 19 | 2 | 38 | -  | -  | 29.3 | -    | 19 | 120 |
| HD 22 | 2 | 38 | -  | -  | 33.3 | -    | 22 | 170 |

|       |   |     |    |    |      |      |    |     |
|-------|---|-----|----|----|------|------|----|-----|
| LD 18 | 2 | 80  | -  | -  | 26.5 | -    | 18 | 165 |
| LD 24 | 4 | 80  | 25 | 55 | 34.3 | 31.5 | 24 | 280 |
| EL 10 | - | 150 | 18 | 15 | 16.0 | 23.0 | 10 | 174 |

### SOCKETS 12.7 mm (1/2") SQUARE DRIVE

| PROD. NO. | FIG. NO. | A  | B  | C  | ØD   | ØE   | A/F | WEIGHT GRAMS |
|-----------|----------|----|----|----|------|------|-----|--------------|
| SP 16     | 1        | 36 | 20 | 16 | 14.0 | 22.5 | 8   | 55           |
| SP 21     | 1        | 36 | 20 | 16 | 15.0 | 22.5 | 9   | 50           |

### EXEL SOCKETS - 12.7 MM (1/2") SQUARE DRIVE

| PROD. NO. | FIG. NO. | A  | B    | C    | ØD   | ØE | A/F | WEIGHT GRAMS |
|-----------|----------|----|------|------|------|----|-----|--------------|
| FD 8      | 1        | 36 | 20   | 16.5 | 13.5 | 22 | 8   | 50           |
| FD 9      | 1        | 36 | 20   | 16.5 | 14.5 | 22 | 9   | 50           |
| FD 10     | 1        | 36 | 20   | 16.5 | 15.7 | 22 | 10  | 50           |
| FD 11     | 1        | 38 | 21.5 | 16.5 | 16.7 | 22 | 11  | 50           |

|       |   |    |      |      |      |    |    |    |
|-------|---|----|------|------|------|----|----|----|
| FD 12 | 1 | 38 | 21.5 | 16.5 | 17.8 | 22 | 12 | 50 |
| FD 13 | 1 | 38 | 21.5 | 16.5 | 19.0 | 22 | 13 | 50 |
| FD 14 | 1 | 38 | 21.5 | 16.5 | 20.2 | 22 | 14 | 50 |
| FD 15 | 1 | 38 | 21.5 | 16.5 | 21.0 | 22 | 15 | 50 |

|       |   |    |    |    |      |      |    |    |
|-------|---|----|----|----|------|------|----|----|
| FD 16 | 3 | 38 | 16 | 22 | 21.8 | 20.5 | 16 | 50 |
| FD 17 | 3 | 38 | 16 | 22 | 23.8 | 22   | 17 | 60 |
| FD 18 | 3 | 38 | 16 | 22 | 25.8 | 22   | 18 | 80 |
| FD 19 | 3 | 38 | 16 | 22 | 25.8 | 22   | 19 | 70 |

|       |   |    |    |    |      |    |    |     |
|-------|---|----|----|----|------|----|----|-----|
| FD 20 | 3 | 38 | 16 | 22 | 27.8 | 25 | 20 | 80  |
| FD 21 | 3 | 38 | 16 | 22 | 28.0 | 25 | 21 | 70  |
| FD 22 | 3 | 38 | 16 | 22 | 29.8 | 26 | 22 | 90  |
| FD 23 | 3 | 38 | 16 | 22 | 31.8 | 28 | 23 | 115 |
| FD 24 | 3 | 38 | 16 | 22 | 31.8 | 28 | 24 | 105 |

|       |   |    |    |    |      |    |    |     |
|-------|---|----|----|----|------|----|----|-----|
| FD 25 | 3 | 40 | 17 | 23 | 33.7 | 30 | 25 | 125 |
| FD 26 | 3 | 42 | 17 | 25 | 35.5 | 31 | 26 | 158 |
| FD 27 | 3 | 42 | 17 | 25 | 35.8 | 32 | 27 | 158 |
| FD 28 | 3 | 44 | 17 | 27 | 37.6 | 33 | 28 | 188 |

|       |   |    |    |    |      |    |    |     |
|-------|---|----|----|----|------|----|----|-----|
| FD 29 | 3 | 44 | 17 | 27 | 38.0 | 33 | 29 | 180 |
| FD 30 | 3 | 44 | 16 | 28 | 39.5 | 34 | 30 | 200 |
| FD 32 | 3 | 44 | 16 | 28 | 41.5 | 36 | 32 | 225 |

### IMPACT SOCKET - HEXAGONAL 12.7 MM (1/2") SQ. DRIVE

| PROD. NO. | FIG. NO. | A  | B  | C  | ØD   | ØE | A/F | WEIGHT GRAMS |
|-----------|----------|----|----|----|------|----|-----|--------------|
| IM 8      | 1        | 36 | 21 | 15 | 13.5 | 25 | 8   | 60           |
| IM 9      | 1        | 36 | 21 | 15 | 14.5 | 25 | 9   | 65           |
| IM 10     | 1        | 36 | 21 | 15 | 17   | 25 | 10  | 65           |
| IM 11     | 1        | 38 | 21 | 15 | 18.5 | 25 | 11  | 65           |

|       |   |    |    |    |      |    |    |    |
|-------|---|----|----|----|------|----|----|----|
| IM 12 | 1 | 36 | 21 | 15 | 20   | 25 | 12 | 65 |
| IM 13 | 1 | 36 | 21 | 15 | 21.5 | 25 | 13 | 75 |
| IM 14 | 1 | 36 | 21 | 15 | 22.5 | 25 | 14 | 70 |
| IM 15 | 1 | 36 | 21 | 15 | 24.0 | 25 | 15 | 80 |


|       |   |    |    |    |      |      |    |     |
|-------|---|----|----|----|------|------|----|-----|
| IM 16 | 2 | 38 | 21 | 15 | 25.0 | 25   | 16 | 80  |
| IM 17 | 2 | 38 | 21 | 15 | 26.5 | 26.5 | 17 | 95  |
| IM 18 | 2 | 38 | 21 | 15 | 28.0 | 28   | 18 | 105 |
| IM 19 | 2 | 38 | 21 | 15 | 30.0 | 30   | 19 | 120 |

|       |   |    |    |    |      |    |    |     |
|-------|---|----|----|----|------|----|----|-----|
| IM 20 | 3 | 40 | 17 | 23 | 31.0 | 30 | 20 | 80  |
| IM 21 | 3 | 40 | 17 | 23 | 32.0 | 30 | 21 | 95  |
| IM 22 | 3 | 40 | 17 | 23 | 33.5 | 30 | 22 | 105 |
| IM 23 | 3 | 40 | 18 | 25 | 35.0 | 30 | 23 | 120 |

|       |   |    |    |    |      |    |    |     |
|-------|---|----|----|----|------|----|----|-----|
| IM 24 | 3 | 43 | 18 | 25 | 36.0 | 30 | 24 | 170 |
| IM 26 | 3 | 43 | 18 | 25 | 38.9 | 30 | 26 | 175 |
| IM 27 | 3 | 43 | 18 | 25 | 40.0 | 30 | 27 | 180 |
| IM 28 | 3 | 46 | 19 | 27 | 41.5 | 30 | 28 | 200 |

|       |   |    |    |    |      |    |    |     |
|-------|---|----|----|----|------|----|----|-----|
| IM 29 | 3 | 46 | 19 | 27 | 42.5 | 30 | 29 | 215 |
| IM 30 | 3 | 46 | 19 | 27 | 44.0 | 30 | 30 | 220 |
| IM 31 | 3 | 46 | 19 | 27 | 44.5 | 30 | 31 | 225 |
| IM 32 | 3 | 46 | 19 | 27 | 46.5 | 30 | 32 | 245 |

## DEEP SOCKETS 1/2" SQUARE DRIVE



| PROD. NO | FIG NO. | A  | B  | C  | ØD | ØE | A/F | WEIGHT GRAMS |
|----------|---------|----|----|----|----|----|-----|--------------|
| L8H      | 1       | 76 | 42 | 34 | 14 | 22 | 8   | 110          |
| L10H     | 1       | 76 | 42 | 34 | 16 | 22 | 10  | 110          |
| L11H     | 1       | 76 | 42 | 34 | 17 | 22 | 11  | 110          |
| L12H     | 1       | 76 | 42 | 34 | 18 | 22 | 12  | 110          |

|      |   |    |    |    |      |    |    |     |
|------|---|----|----|----|------|----|----|-----|
| L13H | 1 | 76 | 42 | 34 | 19   | 22 | 13 | 115 |
| L14H | 1 | 76 | 42 | 34 | 20.5 | 22 | 14 | 120 |
| L15H | 3 | 76 | 30 | 46 | 22   | 22 | 15 | 120 |
| L16H | 3 | 76 | 30 | 46 | 22   | 22 | 16 | 110 |

|      |   |    |    |    |    |    |    |     |
|------|---|----|----|----|----|----|----|-----|
| L17H | 3 | 76 | 30 | 46 | 24 | 22 | 17 | 130 |
| L18H | 3 | 76 | 30 | 46 | 26 | 24 | 18 | 160 |
| L19H | 3 | 76 | 30 | 46 | 26 | 24 | 19 | 150 |
| L20H | 3 | 76 | 30 | 46 | 28 | 25 | 20 | 175 |


|      |   |    |    |    |    |    |    |     |
|------|---|----|----|----|----|----|----|-----|
| L21H | 3 | 76 | 30 | 46 | 28 | 25 | 21 | 165 |
| L22H | 3 | 76 | 30 | 46 | 30 | 26 | 22 | 195 |
| L24H | 3 | 76 | 30 | 46 | 32 | 28 | 24 | 215 |
| L27H | 3 | 76 | 30 | 46 | 36 | 32 | 27 | 280 |
| L30H | 3 | 76 | 30 | 46 | 40 | 28 | 34 | 350 |

## SOCKET SET (3/4" SQUARE DRIVE)

| PROD. NO                   | CONTENTS                                                                                               |
|----------------------------|--------------------------------------------------------------------------------------------------------|
| Bihexagonal Socket sets    |                                                                                                        |
| S-3/4 BH                   | 22, 24, 27, 30, 32, 36, 38, 41, 46, & 50                                                               |
| (10 Sockets + Accessories) | Accessories : Extension Bar 2753, Extension Bar 2763, T-Handle 2733, Ratchet Handle with Coupler 2715. |



## 3/4 SQ. DRIVE SOCKETS



| PROD. NO | FIG NO. | A  | B  | C  | ØD   | ØE | A/F | WEIGHT GRAMS |
|----------|---------|----|----|----|------|----|-----|--------------|
| C 19     | 1       | 50 | 28 | 22 | 29.0 | 36 | 19  | 200          |
| C 21     | 1       | 50 | 28 | 22 | 31.0 | 36 | 19  | 200          |
| C 22     | 1       | 50 | 30 | 20 | 33.0 | 36 | 22  | 215          |
| C 24     | 1       | 50 | 30 | 20 | 35.0 | 36 | 24  | 210          |

|      |   |      |    |    |      |    |    |     |
|------|---|------|----|----|------|----|----|-----|
| C 26 | 3 | 52   | 22 | 30 | 36.0 | 35 | 26 | 215 |
| C 27 | 2 | 51.5 | -  | -  | 38.0 | -  | 27 | 220 |
| C 28 | 3 | 52   | 21 | 31 | 40.0 | 36 | 28 | 235 |
| C 29 | 3 | 52   | 21 | 31 | 40.0 | 38 | 29 | 240 |

|      |   |    |    |    |      |    |    |     |
|------|---|----|----|----|------|----|----|-----|
| C 30 | 3 | 54 | 21 | 33 | 42.0 | 38 | 30 | 265 |
| C 32 | 3 | 56 | 21 | 35 | 44.0 | 38 | 32 | 300 |
| C 33 | 3 | 56 | 23 | 33 | 46.0 | 38 | 33 | 315 |
| C 34 | 3 | 58 | 22 | 36 | 46.0 | 38 | 34 | 320 |

|      |   |    |    |    |      |    |    |     |
|------|---|----|----|----|------|----|----|-----|
| C 35 | 3 | 58 | 22 | 36 | 48.0 | 42 | 35 | 380 |
| C 36 | 3 | 58 | 20 | 38 | 50.0 | 42 | 36 | 395 |
| C 38 | 3 | 60 | 20 | 40 | 52.0 | 45 | 38 | 450 |
| C 41 | 3 | 64 | 24 | 40 | 56.0 | 45 | 41 | 535 |

|      |   |    |    |    |      |    |     |     |
|------|---|----|----|----|------|----|-----|-----|
| C 42 | 3 | 64 | 22 | 42 | 58.0 | 45 | 42  | 590 |
| C 46 | 3 | 68 | 21 | 47 | 62.0 | 48 | 246 | 685 |
| C 50 | 3 | 72 | 24 | 48 | 68.0 | 48 | 50  | 800 |
| C 55 | 3 | 76 | 26 | 48 | 74.0 | 48 | 55  | 955 |

|      |   |    |    |    |      |    |    |      |
|------|---|----|----|----|------|----|----|------|
| C 60 | 3 | 78 | 30 | 48 | 78.0 | 48 | 60 | 910  |
| C 65 | 3 | 85 | 30 | 55 | 86.0 | 48 | 65 | 1570 |
| C 70 | 3 | 85 | 30 | 55 | 91.0 | 48 | 70 | 1680 |



### BI-HEXAGONAL SOCKET SET (1" SQUARE DRIVE)


| PROD. NO.      | CONTENTS                                    |
|----------------|---------------------------------------------|
| S1BH           | Socket ; 36 mm, 41 mm, 46 mm, 50 mm, 55 mm, |
| (10 Sockets &  | 60mm, 65 mm, 70 mm, 75 mm & 80 mm           |
| 4 Accessories) | Accessories - 3715, 3733, 3753, 3763        |

### SOCKET 1" SQ. DRIVE

| PROD. NO. | FIG NO. | A  | B  | C  | ØD | ØE | A/F | WT. GMS |
|-----------|---------|----|----|----|----|----|-----|---------|
| D 36      | 3       | 60 | 20 | 40 | 50 | 46 | 36  | 400     |
| D 38      | 3       | 65 | 22 | 43 | 54 | 46 | 38  | 520     |
| D 41      | 3       | 65 | 25 | 40 | 54 | 46 | 46  | 520     |

|      |   |    |    |    |    |    |    |      |
|------|---|----|----|----|----|----|----|------|
| D 46 | 3 | 75 | 26 | 49 | 65 | 50 | 46 | 830  |
| D 50 | 3 | 75 | 26 | 49 | 69 | 56 | 50 | 1050 |
| D 55 | 3 | 80 | 28 | 52 | 75 | 56 | 55 | 1200 |
| D 60 | 3 | 84 | 30 | 54 | 81 | 56 | 60 | 1350 |

|      |   |     |    |    |     |    |    |      |
|------|---|-----|----|----|-----|----|----|------|
| D 65 | 3 | 88  | 30 | 58 | 87  | 56 | 65 | 1550 |
| D 70 | 3 | 94  | 30 | 64 | 93  | 68 | 70 | 2100 |
| D 75 | 3 | 98  | 34 | 64 | 99  | 68 | 75 | 2500 |
| D 80 | 3 | 103 | 34 | 69 | 105 | 68 | 80 | 2600 |



### SOCKET SET




Consists of selected sockets and accessories, neatly packed in attractive powder coated carrying case.

### SOCKET SET 1/4 SQ. DRIVE

| PROD. NO.      | CONTENTS                                               |
|----------------|--------------------------------------------------------|
| S 1/4 H        | Sockets - 4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14. |
| (17 Sockets +  | Adaptor - Hex 1/4 x SQ. 1/4                            |
| 6 Accessories) | Adaptor Torx - T20, T 25, T30, T40                     |
|                | Accessories - A 733 - T- Handle, A 743 - Extn.Bar,     |
|                | A 753 - Extn.Bar, A 773 - Universal Joint,             |
|                | A 703 - Nut spinner Flexible, A 715 - Ratchet Handle   |

### SOCKET 1/4 SQ. DRIVE


| PROD. NO | FIG NO. | A  | B  | C  | ØD   | ØE | A/F | WT. GMS |
|----------|---------|----|----|----|------|----|-----|---------|
| A 4 H    | 1       | 25 | 13 | 12 | 6.8  | 12 | 4   | 10      |
| A 4.5 H  | 1       | 25 | 13 | 12 | 7.3  | 12 | 4.5 | 10      |
| A 5 H    | 1       | 25 | 13 | 12 | 8.0  | 12 | 5   | 10      |
| A 5.5 H  | 1       | 25 | 13 | 12 | 8.5  | 12 | 5.5 | 10      |
| A 6 H    | 1       | 25 | 13 | 12 | 9.0  | 12 | 6   | 10      |
| A 7 H    | 1       | 25 | 13 | 12 | 10.5 | 12 | 7   | 10      |
| A 8 H    | 1       | 25 | 13 | 12 | 11.7 | 11 | 8   | 10      |
| A 10 H   | 3       | 25 | 11 | 14 | 14   | 12 | 10  | 10      |
| A 11 H   | 3       | 25 | 11 | 14 | 16   | 14 | 11  | 20      |
| A 12 H   | 3       | 25 | 11 | 14 | 17   | 15 | 12  | 20      |
| A 13 H   | 3       | 25 | 11 | 14 | 18   | 16 | 13  | 25      |



### SOCKET SET 3/8 SQ. DRIVE

| PROD. NO.      | CONTENTS                                                 |
|----------------|----------------------------------------------------------|
| S 3/8 H        | Sockets - 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22 |
| (14 Sockets +  | Spark Plug Socket - BSP 21                               |
| 6 Accessories) | Accessories - B 733 - T- Handle, B 743 - Extn.Bar,       |
|                | B 753 - Extn.Bar, B 773 - Universal Joint,               |
|                | B 703 - Nut spinner Flexible, B 715 - Ratchet Handle     |

## SOCKET 3/8 SQ. DRIVE



| PROD. NO | FIG. NO. | A  | B  | C  | ØD   | ØE | A/F | WEIGHT GRAMS | STD. PKG. |
|----------|----------|----|----|----|------|----|-----|--------------|-----------|
| B 6 H    | 1        | 28 | 16 | 12 | 10.3 | 17 | 6   | 25           | 5         |
| B 7 H    | 1        | 28 | 16 | 12 | 11   | 17 | 7   | 25           | 5         |

|        |   |    |    |    |      |    |    |    |   |
|--------|---|----|----|----|------|----|----|----|---|
| B 8 H  | 1 | 28 | 16 | 12 | 12   | 17 | 8  | 25 | 5 |
| B 9 H  | 1 | 28 | 16 | 12 | 13.3 | 17 | 9  | 25 | 5 |
| B 10 H | 1 | 28 | 16 | 12 | 14.5 | 17 | 10 | 25 | 5 |


|        |   |    |    |    |      |      |    |    |   |
|--------|---|----|----|----|------|------|----|----|---|
| B 11 H | 3 | 28 | 16 | 12 | 16   | 17   | 11 | 25 | 5 |
| B 12 H | 3 | 28 | 12 | 16 | 17   | 15.5 | 12 | 25 | 5 |
| B 13 H | 3 | 28 | 12 | 16 | 17.8 | 16.5 | 13 | 25 | 5 |
| B 14 H | 3 | 28 | 12 | 16 | 19.7 | 17   | 14 | 25 | 5 |

|        |   |    |    |    |      |    |    |    |   |
|--------|---|----|----|----|------|----|----|----|---|
| B 17 H | 3 | 30 | 12 | 18 | 23.7 | 20 | 17 | 45 | 5 |
| B 19 H | 3 | 30 | 12 | 18 | 26   | 23 | 19 | 60 | 5 |
| B 21 H | 3 | 30 | 12 | 18 | 28   | 25 | 21 | 70 | 5 |
| B 22 H | 3 | 30 | 12 | 18 | 29.7 | 26 | 22 | 80 | 5 |


## SOCKET ACCESSORIES

### T-HANDLE

| SIZE      | PROD. NO. | A/F  | L   | ØD | ØE   | ØF   | WT. GMS |
|-----------|-----------|------|-----|----|------|------|---------|
| 1/4 Drive | A 733     | 6.30 | 115 | 14 | 8.0  | 6.0  | 45      |
| 3/8 Drive | B 733     | 9.50 | 200 | 19 | 12.6 | 10.5 | 75      |
| 1/2 Drive | 1733-S    | 12.7 | 250 | 27 | 16.6 | 13   | 345     |
| 3/8 Drive | 1733      | 12.7 | 300 | 27 | 16.6 | 13   | 400     |
| 3/4 Drive | 2733      | 19   | 500 | 38 | 24.5 | 18   | 1220    |
| 1 Drive   | 3733      | 25   | 630 | 49 | 33.8 | 25   | 2970    |



### EXTENSION BAR




| SIZE      | PROD. NO. | L   | ØA | ØB | ØD   | SQ.(1) | SQ.(2) | WT. GMS |
|-----------|-----------|-----|----|----|------|--------|--------|---------|
| 1/4 Drive | A 743     | 50  | 12 | -  | 8.0  | 6.40   | 6.30   | 25      |
|           | A 753     | 100 | 12 | -  | 8.0  | 6.40   | 6.30   | 45      |
| 3/8 Drive | B 743     | 76  | 18 | -  | 12.0 | 9.60   | 9.50   | 75      |
|           | B 753     | 152 | 18 | -  | 12.0 | 9.60   | 9.50   | 140     |

|           |      |     |    |   |      |      |      |     |
|-----------|------|-----|----|---|------|------|------|-----|
| 1/2 Drive | 1713 | 50  | 22 | - | 12.8 | 12.8 | 12.8 | 85  |
|           | 1743 | 75  | 22 | - | 12.8 | 12.8 | 12.8 | 110 |
|           | 1753 | 125 | 22 | - | 12.8 | 12.8 | 12.8 | 150 |
|           | 1763 | 255 | 22 | - | 12.8 | 12.8 | 12.8 | 290 |

|           |      |     |    |   |      |      |      |      |
|-----------|------|-----|----|---|------|------|------|------|
| 3/4 Drive | 2753 | 255 | 35 | - | 19.1 | 19.1 | 19.1 | 700  |
|           | 2763 | 385 | 35 | - | 19.1 | 19.1 | 19.1 | 980  |
| 1 Drive   | 3753 | 20  | 48 | - | 29.0 | 25.2 | 25.8 | 1320 |
|           | 3763 | 400 | 48 | - | 29.0 | 25.2 | 25.8 | 2410 |


### RATCHET HANDLE

| R-HANDLE  | PROD. NO.            | FIG. NO. | A   | B  | L   | WT. GMS |
|-----------|----------------------|----------|-----|----|-----|---------|
| 1/4 Drive | A 715                | 1        | 12  | 27 | 160 | 135     |
| 3/8 Drive | B 715                | 1        | 13  | 27 | 215 | 340     |
| 1/2 Drive | 1715                 | 2        | 18  | 35 | 255 | 480     |
|           | 1715 N               | 2        | 16  | 46 | 260 | 550     |
| 3/4 Drive | 2715 With Sq.Coupler | -        | 30  | 65 | 500 | 2040    |
| 1" Drive  | 3715 R-H             | 1        | 32  | 69 | -   | -       |
|           | T-BAR                | 2        | Ø28 | -  | 562 | 2680    |




### FLEXIBLE HANDLE

| SIZE      | PROD. NO. | FIG NO. | A  | B    | L   | WT. GMS |
|-----------|-----------|---------|----|------|-----|---------|
| 1/4 Drive | A 703     | 2       | 11 | 16.5 | 145 | 115     |
| 3/8 Drive | B 703     | 2       | 15 | 22   | 225 | 215     |
| 1/2 Drive | 1703      | 1       | 20 | 25   | 250 | 390     |




### UNIVERSAL JOINT

| SIZE      | PRODUCT NO | FIG NO. | A  | B  | L   | WEIGHT GRAMS |
|-----------|------------|---------|----|----|-----|--------------|
| 1/4 Drive | A 773      | 3       | 14 | 14 | 39  | 25           |
| 3/8 Drive | B 773      | 3       | 19 | 19 | 55  | 65           |
| 1/2 Drive | 1773       | 3       | 25 | 22 | 74  | 160          |
| 3/4 Drive | 2273       | 3       | 40 | 40 | 108 | 560          |




### ANGLE HANDLE

| PROD. NO.  | L1  | L2  | ØA  | ØB | SQ   | WEIGHT GRAMS |
|------------|-----|-----|-----|----|------|--------------|
| 1734/1734N | 189 | 56  | --- | 16 | 12.7 | 320          |
| 1735       | 250 | 60  | --- | 16 | 12.7 | 430          |
| 1736       | 300 | 75  | --- | 16 | 12.7 | 525          |
| 1737       | 450 | 120 | --- | 16 | 12.7 | 835          |




### SPEEDER BRACE

| PROD. NO. | ØD1 | ØD2 | L   | L1  | SQ   | WEIGHT GRAMS |
|-----------|-----|-----|-----|-----|------|--------------|
| 1783      | 13  | 22  | 397 | 146 | 12.7 | 760          |



### 3/4 - SQUARE DRIVE

| PROD. NO. | SQ   | L  | WEIGHT GRAMS |
|-----------|------|----|--------------|
| 2716      | 19.5 | 52 | 150          |



## TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
**Fax :** 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • **Fax :** 0253-2350740

*An ISO-9001 Company*



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®



# TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



## SPANNERS



### DOUBLE ENDED SPANNERS

- ★ Made from high grade Steel.
- Forged and accurately machined.
- Hardened and tempered to give long trouble free service.
- Provide with appropriate surface protection for rust prevention.

### DOUBLE ENDED SPANNER SET (WITH RIB)

| PROD. NO | CONTENTS                                                                       |
|----------|--------------------------------------------------------------------------------|
| DER 06   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17                                           |
| DER 08   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22                             |
| DER 10   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27               |
| DER 12   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 |
| DER 010  | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32               |


### RING SPANNERS

- ★ Made from high grade Steel.
- ★ Forged and accurately machined.
- ★ Hardened and tempered to give long trouble free service.
- ★ Provide with appropriate surface protection for rust prevention.

### DOUBLE ENDED SPANNER SET (WITHOUT RIB)


| PROD. NO | CONTENTS                                                                       |
|----------|--------------------------------------------------------------------------------|
| DER 06   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17                                           |
| DER 08   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22                             |
| DER 10   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27               |
| DER 12   | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 |
| DER 010  | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32               |

### DOUBLE ENDED SPANNER (WITH RIB)




| PROD. NO      | D 1  | D 2  | T    | L   | WT. GMS |
|---------------|------|------|------|-----|---------|
| DER - 6 x 7   | 15.5 | 17.5 | 4.0  | 95  | 15      |
| DER - 8 x 9   | 19.0 | 22.0 | 5.0  | 105 | 30      |
| DER -10 x 11  | 23.0 | 25.0 | 6.0  | 120 | 40      |
| DER -12 x 13  | 27.5 | 30.5 | 6.5  | 130 | 55      |
| DER -14 x 15  | 32.0 | 34.0 | 7.0  | 150 | 75      |
| DER -16 x 17  | 36.0 | 39.0 | 7.0  | 160 | 95      |
| DER -18 x 19  | 40.0 | 42.0 | 7.5  | 175 | 120     |
| DER -20 x 22  | 44.0 | 49.0 | 8.0  | 195 | 180     |
| DER -21 x 23  | 45.0 | 49.0 | 8.0  | 215 | 205     |
| DER -24 x 27  | 51.0 | 59.0 | 8.0  | 235 | 260     |
| DER -25 x 28  | 55.0 | 62.0 | 9.0  | 255 | 325     |
| DER -30 x 32  | 66.0 | 70.0 | 10.0 | 280 | 465     |
| DER - 32 x 36 | 66.0 | 73.0 | 11.5 | 300 | 525     |
| DER - 36 x 41 | —    | —    | —    | —   | —       |
| DER - 41 x 46 | 83.0 | 94.0 | 13.0 | 375 | 870     |
| DER - 46 x 50 | —    | —    | —    | —   | —       |

### DOUBLE ENDED SPANNER (WITHOUT RIB)




| PROD. NO      | D 1  | D 2  | T   | L   | WT. GMS |
|---------------|------|------|-----|-----|---------|
| DEP - 06 x 07 | 14.0 | 16.0 | 3.0 | 95  | 10      |
| DEP - 08 x 09 | 17.5 | 19.0 | 3.5 | 100 | 20      |
| DEP - 10 x 11 | 22.0 | 23.0 | 4.0 | 110 | 30      |
| DEP - 12 x 13 | 25.5 | 27.5 | 5.0 | 125 | 40      |
| DEP - 14 x 15 | 29.0 | 31.0 | 5.5 | 145 | 60      |
| DEP - 16 x 17 | 33.0 | 36.0 | 5.5 | 160 | 75      |
| DEP - 18 x 19 | 37.5 | 40.0 | 6.5 | 180 | 115     |
| DEP - 20 x 22 | 40.0 | 43.5 | 7.0 | 200 | 140     |
| DEP - 21 x 23 | 41.0 | 45.0 | 7.0 | 210 | 155     |
| DEP - 24 x 27 | 48.5 | 53.5 | 7.5 | 225 | 215     |
| DEP - 25 x 28 | 49.0 | 54.5 | 8.0 | 225 | 235     |
| DEP - 30 x 32 | 58.0 | 62.5 | 8.5 | 250 | 320     |
| DEP - 08 x 10 | 17.0 | 21.5 | 4.0 | 115 | 28      |
| DEP - 09 x 11 | 21.5 | 24.0 | 5.0 | 120 | 38      |
| DEP - 10 x 12 | 25.5 | 27.0 | 5.5 | 130 | 38      |
| DEP - 13 x 16 | 27.0 | 33.0 | 6.0 | 170 | 75      |
| DEP - 14 x 17 | 30.0 | 35.0 | 6.0 | 160 | 82      |
| DEP - 18 x 21 | 37.0 | 42.0 | 7.0 | 180 | 120     |
| DEP - 19 x 22 | 40.0 | 45.0 | 7.5 | 200 | 150     |

### SINGLE END OPEN JAW SPANNER



| PROD. NO | S   | D   | T    | L   | WT. GMS |
|----------|-----|-----|------|-----|---------|
| SER 24   | -24 | -50 | 8.0  | 210 | 145     |
| SER 30   | 30  | 62  | 10.0 | 260 | 290     |
| SER 32   | 32  | 65  | 10.0 | 275 | 290     |
| SER 36   | 36  | 72  | 11.0 | 300 | 400     |
| SER 38   | 38  | 77  | 11.5 | 300 | 425     |
| SER 41   | 41  | 83  | 12.5 | 340 | 425     |
| SER 46   | 46  | 91  | 13.0 | 375 | 520     |
| SER 50   | 50  | 101 | 15.0 | 400 | 920     |
| SER 55   | 55  | 111 | 15.0 | 440 | 1150    |
| SER 60   | 60  | 122 | 16.0 | 475 | 1375    |
| SER 65   | 65  | 132 | 16.0 | 515 | 1640    |
| SER 70   | 70  | 140 | 17.0 | 555 | 2000    |
| SER 75   | 75  | 151 | 18.0 | 585 | 2220    |

### DOUBLE ENDED RING SPANNER



| PROD. NO     | D1   | D2   | T1   | T2   | L   | WT. GMS |
|--------------|------|------|------|------|-----|---------|
| 18 - 6 x 7   | 11.0 | 12.5 | 5.0  | 6.0  | 180 | 40      |
| 18 - 8 x 9   | 14.0 | 16.5 | 6.0  | 7.0  | 190 | 50      |
| 18 - 10 x 11 | 17.0 | 18.0 | 7.0  | 8.0  | 200 | 75      |
| 18 - 12 x 13 | 19.0 | 21.0 | 8.0  | 8.5  | 215 | 95      |
| 18 - 14 x 15 | 22.0 | 24.0 | 8.5  | 10.0 | 230 | 105     |
| 18 - 16 x 17 | 25.0 | 26.5 | 10.0 | 10.5 | 245 | 160     |
| 18 - 18 x 19 | 28.0 | 29.0 | 11.0 | 11.0 | 260 | 210     |
| 18 - 20 x 22 | 31.0 | 33.0 | 12.0 | 13.0 | 290 | 270     |
| 18 - 21 x 23 | 31.5 | 34.0 | 13.0 | 13.5 | 310 | 290     |
| 18 - 24 x 27 | 37.0 | 41.0 | 13.0 | 14.0 | 340 | 390     |
| 18 - 25 x 28 | 38.0 | 41.5 | 15.0 | 16.5 | 355 | 495     |
| 18 - 30 x 32 | 44.0 | 47.0 | 17.5 | 18.5 | 380 | 570     |

| PROD. NO | CONTENTS                                                                       |
|----------|--------------------------------------------------------------------------------|
| 1806     | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17                                           |
| 1808     | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22                             |
| 1810     | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27               |
| 1812     | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 |

# TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
Fax : 91-22-2495 3230. • E-mail : sales@tapariatools.com • Web Site : http://www.tapariatools.com  
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740



An ISO-9001 Company

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®




# TAPARIA TOOLS LTD.

## AN ISO-9001 COMPANY



### SPIRIT LEVEL




- ★ TAPARIA Spirit levels have precision milled base for high Accuracy.
- ★ TAPARIA Spirit levels have a solid Spirit bulb which does not break easily.
- ★ The spirit of TAPARIA Levels is special and lasts for a long time.
- ★ The Aluminum frame is strong and precision extruded which increases accuracy and strength of the Spirit levels.
- ★ Rubber moulding is provided on the sides of the spirit levels to prevent damage to the body of the spirit levels.
- ★ Available in two ranges i.e. 1mm/meter accuracy and 0.50mm/meter accuracy to cater to regular and high precision requirements.




1mm / mtr. Accuracy

| PRODUCT NO.               | SIZE IN cm's | A    | B  | C  | WEIGHT GRAMS |
|---------------------------|--------------|------|----|----|--------------|
| SL 10 12 (WITHOUT MAGNET) | 30 cm        | 300  | 50 | 20 | 165          |
| SL 10 16 (WITHOUT MAGNET) | 40 cm        | 400  | 50 | 20 | 210          |
| SL 10 20 (WITHOUT MAGNET) | 50 cm        | 500  | 50 | 20 | 245          |
| SL 10 24 (WITHOUT MAGNET) | 60 cm        | 600  | 50 | 20 | 295          |
| SL 10 36 (WITHOUT MAGNET) | 90 cm        | 900  | 50 | 20 | 415          |
| SL 10 48 (WITHOUT MAGNET) | 120 cm       | 1200 | 50 | 20 | 555          |
| SLM 10 12 (WITH MAGNET)   | 30 cm        | 300  | 50 | 20 | 235          |
| SLM 10 16 (WITH MAGNET)   | 40 cm        | 400  | 50 | 20 | 280          |
| SLM 10 20 (WITH MAGNET)   | 50 cm        | 500  | 50 | 20 | 315          |
| SLM 10 24 (WITH MAGNET)   | 60 cm        | 600  | 50 | 20 | 365          |
| SLM 10 36 (WITH MAGNET)   | 90 cm        | 900  | 50 | 20 | 495          |




0.5 mm / mtr. Accuracy

| PRODUCT NO.               | SIZE IN cm's | A   | B  | C  | WEIGHT GRAMS |
|---------------------------|--------------|-----|----|----|--------------|
| SL 05 12 (WITHOUT MAGNET) | 30 cm        | 300 | 57 | 22 | 190          |
| SL 05 24 (WITHOUT MAGNET) | 60 cm        | 600 | 57 | 22 | 335          |
| SLM 05 12 (WITH MAGNET)   | 30 cm        | 300 | 57 | 22 | 240          |
| SLM 05 24 (WITH MAGNET)   | 60 cm        | 600 | 57 | 22 | 395          |



## TOOLS TROLLEY

- ★ Reinforced double wall frame with single piece casting enables high strength and long life.
- ★ High quality ball bearing slides enable smooth drawer opening.
- ★ Rear locking system avoids opening of the drawers when the
- ★ Tools Trolley is being moved The Castors are smooth, strong & chemical resistant and have a load capacity of upto 550 lbs.
- ★ Superior Powder Coating on the cabinets gives extra rust protection and good looks.
- ★ Tools Trollies are available in 2 models i.e. ToolsTrolley having 5 drawers & Tools Trolley having 7 drawers.



5 Drawers



7 Drawers

| PRODUCT NO. | H   | W   | L   | WEIGHT   |
|-------------|-----|-----|-----|----------|
| TTB 5       | 780 | 520 | 749 | 40.7 Kg. |
| TTB 7       | 935 | 520 | 749 | 55.0 Kg. |

## TAPARIA TOOLS LTD.



**Head Office :** 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50  
**Fax :** 91-22-2495 3230. • E-mail : [sales@tapariatools.com](mailto:sales@tapariatools.com) • Web Site : <http://www.tapariatools.com>  
**Works :** 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • Fax : 0253-2350740



*An ISO-9001 Company*

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®